


SINGER
210B6LG,7LG


SINGER*

PARTS LIST

MODEL: 210B-6LG, 7LG

1






NOTE! WHEN ORDERING PARTS, PREFIX ALL NUMBERS WITH CS, EXAMPLE CS _____



PRESSER BAR MECHANISM

押え棒関係




NEEDLE BAR MECHANISM

針棒関係





6LG,





OIL WICK FOR BED

ベッド油芯関係



for less than 4mm Max. stitch length
送り最大 4 mm 以下のもの、




SPECIFICATION FOR EACH MODEL 仕様別部品表



Model 機種	Max. stitch length 送り最大 mm	bed slide (left) 角板 (左)	needle plate 針板	bed slide (right) 角板 (右)	thread take up lever 天秤	cover for thread take up lever 天秤カバー	feed driving eccentric adjusting disc うす巻カム	stitch length indicator 文字リング
6LG	4	10045	15749	10061	15705	15258	10909	15709
	9	10045	15749	10061	18003	15025	10626	10505
7LG	2.5	10045	15712	10061	15705	15258	10883	15704
	3.5	10045	15712	10061	15705	15258	15746	15706
	6	10045	15748	10061	15702	15025	15510	10943

NOTE! WHEN ORDERING PARTS, PREFIX ALL NUMBERS WITH CS, EXAMPLE CS _____

LOWER SHAFT, FEED MECHANISM

送り機構, 下軸関係





HOOK MECHANISM カマ関係

Hook complete number カマセット番号

15850




15850-9



16407-2




15850-1



30502-10

16407-11

16407-12



16407-3

16407-4




16407-7

16407-8

16407-5 標準型
Standard type

15713-5 T type T 型

16407-6



NOTE! WHEN ORDERING PARTS, PREFIX ALL NUMBERS WITH CS, EXAMPLE CS _____

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

A

BELT GUARD (Optional Equipment) ベルトガード (別注品)

B

Belt Guard Complete 15098C

C

15099

11162

D

12418

15098

E

F

11142


10650

G

H

ACCESSORIES 付属品

J




8132



16408

Cat. No
1992

K



15101

L



10748



8132

L
M
N
O
P
Q
R
S
T
U
V



10748

10747




6057



8125



6052



10735



8118



8120



8121



11171




6052



11170



11169




11193




15082

15081

15080



10780



NOTE! WHEN ORDERING PARTS, PREFIX ALL NUMBERS WITH CS, EXAMPLE CS _____

198101