FORM IPD 424-71

Temporary Parts List

for

Machine No. 552B241

PART NUMBER		
MAIN SUFF	DESCRIPTION	QTY
		_
204235	ARM DOWEL PIN	2
141403 819	ARM HOLE PLUG SCREW (FOR ACCESS TO NEEDLE BAR	1
	CONNECTING LINK HINGE STUD CLAMPING SCREW, NEEDLE	
	BAR CONNECTING LINK HINGE STUD POSITION SET SCREW	•
147070	ARM HOLE PLUG SCREW WASHER	1
146552	ARM SCREW	4
157702	ARM SHAFT WITH 1036(830), 140542(830) 140552(830)	1
	AND 157704	_
157821	ARM SHAFT WITH 140359(805), 143236, 157704 AND	1
	157822	_
158034	ARM SHAFT BUSHING (INTERMEDIATE)	1
157704	ARM SHAFT BUSHING (INTERMEDIATE) THRUST SPACER	1
156194	ARM SHAFT BUSHING (LEFT)	1
157704	ARM SHAFT BUSHING (LEFT) THRUST SPACER	1
156063	ARM SHAFT DRIVING BELT	1
156425	ARM SHAFT DRIVING BELT COVER	1
51384 819		4
156507	ARM SHAFT FLANGED BUSHING (RIGHT)	1
158035	ARM SHAFT OIL SHIELD	1
140359 805	ARM SHAFT SCREW PLUG (LEFT)	1
143236	ARM SHAFT SCREW PLUG (LEFT) WASHER	1
144 804	ARM SHAFT SCREW (RIGHT)	1
157709	ARM SHAFT SPROCKET WHEEL WITH 143624, AND FOUR	1
	141470(869)	1
143624	ARM SHAFT SPROCKET WHEEL HUB O RING (OUTSIDE)	1
143624	ARM SHAFT SPROCKET WHEEL HUB O RING (INSIDE)	1
158045	ARM SHAFT SPROCKET WHEEL HUB THRUST WASHER	1
	(OUTSIDE)	4
141470 869	ARM SHAFT SPROCKET WHEEL SET SCREW (1/4 X 40 S.S. X 7/16 LONG. ALLEN FLAT POINT SET SCREW)	т
	ARM SHAFT THRUST COLLAR WITH TWO 624(830)	1
147468		2
624 830	ARM TOP COVER	ī
158113	ARM TOP COVER 158113 WITH 1480(805), 141443(819),	1
158205	156650, 156651, 157474, 158114 AND TWO 157820	-
156200	ARM TOP COVER GASKET	1
156650	ARM TOP COVER OIL SIGHT DOME	1
156651	ARM TOP COVER OIL SIGHT DOME O RING	1
130031	(NATIONAL O RING NO. 622710)	
141443 819		1
157474	ARM TOP COVER PLUG SCREW GASKET	1
	ARM TOP COVER SCREW	8
157820	ARM TOP COVER THREAD TUBE (NEEDLE THREAD)	2
158114	ARM TOP COVER THREAD TUBE (NEEDLE THREAD)	1
	CLAMPING PLATE	
1480 805	ARM TOP COVER THREAD TUBE (NEEDLE THREAD)	1
	CLAMPING PLATE LOCKING SCREW	
156379	BED COVER (BACK AND LEFT)	1
1095 819	BED COVER (BACK AND LEFT) SCREW	4
157883	BED COVER (FRUNT)	1

PART NUMBER	DESCRIPTION	QTY
157885 157038 156382 156383 156384 1300 819 156407	BED COVER (FRONT) COMPLETE, NOS. 156382, 156383, 157038, 157883 AND TWO 156384 BED COVER (FRONT) CATCH BED COVER (FRONT) HINGE BED COVER (FRONT) HINGE PIN BED COVER (FRONT) HINGE SPRING (LEFT AND RIGHT) BED COVER (FRONT) SCREW BED COVER (TOP) BED COVER (TOP) 156407 WITH 141433(819)	1 1 1 2 2 1
156791 157383 156408 141433 819	AND 157373 BED COVER (TOP) DAMPING PAD BED COVER (TOP) GASKET BED COVER (TOP) PLUG SCREW (FOR ACCESS TO LOOPER AVOID MECHANISM)	1 1 1
157373 140807 805 143024 157109 140999 819	BED COVER (TOP) PLUG SCREW GASKET BED COVER (TOP) SCREW BED HOLE PLUG (CENTER) BED HOLE PLUG (LEFT)	1 12 1 1 1
143435 156245 156246 185 805 805 805 143236 140439 819	ECCENTRIC BED HOLE PLUG SCREW GASKET BED OIL DRAIN SCREEN BED OIL DRAIN SCREEN RETAINING PLATE BED OIL DRAIN SCREEN RETAINING PLATE SCREW BED OIL PLUG SCREW BED OIL PLUG SCREW WASHER	1 3 1 2 2 2 1
157766 157767	BED OIL SCREW (RIGHT) 140439(819) WITH A SUITABLE LENGTH OF WICKING (5/32 IN. X 7/16 IN. LONG S.A.E. F-1 FELT) BED OIL SCREW (RIGHT) DIL WICK FOR DILING LOOPER PITMAN ROD END BEARING (RIGHT) BALL STUD DIL WICK (5/32 IN. X 7/16 IN. LONG S.A.E. F-1 FELT) FOR USE WITH BED GIL SCREW (RIGHT) NO. 157766	1
158182 141469 869 157804	BED SHAFT COUPLING WITH FOUR 141469(869) BED SHAFT COUPLING SET SCREW BED SHAFT (LEFT) WITH A SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X 4 1/2 IN. LONG PIPE	1 4 1
157711 157712	CLEANER WICK) BED SHAFT (LEFT) BUSHING (LEFT, INNER) BED SHAFT (LEFT) BUSHING (LEFT, INNER) OIL SLING WITH TWO 141301(869)	1
156181 141301 869	BED SHAFT (LEFT) BUSHING (LEFT, INNER) OIL SLING O RING (PARKER O RING NO. 2-14)	2
157713 157922	POINT SET SCREW) BED SHAFT (LEFT) BUSHING (LEFT, INNER) THRUST SPACER BED SHAFT (LEFT) BUSHING (LEFT, DUTER)	1

PART	NITIMDE	ם	
MAIN		DESCRIPTION	QTY
MAIN	20FF	DESCRIPTION	•
		DED CHIEF ALEET DUCUTNO (LEET OUTED) COVED	1
157829 156230		BED SHAFT (LEFT) BUSHING (LEFT, OUTER) COVER BED SHAFT (LEFT) BUSHING (LEFT, OUTER) COVER GASKET	
_	819	AL TET OUTED A COVED CODEN	
156280		BED SHAFT (LEFT) BUSHING (LEFT, DUTER) DIL	1
		RETAINER	1
157712		BED SHAFT (LEFT) BUSHING (LEFT, OUTER) OIL SLING WITH TWO 141301(869)	1
156181		BED SHAFT (LEFT) BUSHING (LEFT, OUTER) DIL SLING	1
		O RING (PARKER O RING NO. 2-14)	
141301	869	BED SHAFT (LEFT) BUSHING (LEFT, OUTER) OIL SLING	2
		SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN FLAT	
157713		POINT SET SCREW) BED SHAFT (LEFT) BUSHING (LEFT, OUTER) THRUST	1
101112		SPACER	-
157921		BED SHAFT (LEFT) DIL WICK (1/8 IN. DIAM. X 4 1/2	1
		IN. LONG PIPE CLEANER WICK) FOR USE WITH 157804,	
1577/0		FOR AGENTS ONLY) BED SHAFT (RIGHT) WITH 50555(830), 156563, TWO	1
157742		EACH 141313(830), 141314(830), 157772 AND	-
		FOUR 350726(869)	_
156557		BED SHAFT (RIGHT) BEVEL GEAR (LEFT) RIGHT HAND	1
		SPIRAL WITH THREE 1259(830) (FOR USE WITH OIL PUMP BEVEL GEAR)	
		NOTEO THIS IS GEAR NO. 146864 BUT WITH THREE (3)	
		1259(830), IN PLACE OF ONE (1) 140333(830) AND	
		TWO (2) 1259(830).	
		NOTEO TO ENSURE PROPER FUNCTIONING OF GEARS, NO. 156557 WILL NOT BE SUPPLIED TO AGENCIES, BUT WILL	
		BE SUBSTITUTED BY PAIR OF GEARS NO. 156558.	
1259	830	BED SHAFT (RIGHT) BEVEL GEAR (LEFT) SET SCREW	3
156282		BED SHAFT (RIGHT) BUSHING (RIGHT, INNER)	1
141405	869	BED SHAFT (RIGHT) BUSHING (RIGHT, INNER) SET SCREW (10 X 24 X 1/4 IN. LONG. ALLEN CUP POINT SCREW)	1
141405	860	BED SHAFT (RIGHT) BUSHING (RIGHT, INNER) SET SCREW	1
141402	, 00 ,	LOCK SCREW (10 X 24 X 1/4 IN. LONG. ALLEN CUP POINT	
		SCREW)	
158163		BED SHAFT (RIGHT) COLLAR WITH TWO 350595(869)	1 2
350595 157811		BED SHAFT (RIGHT) COLLAR SET SCREW BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL	1
194011		HUB WITH 141470(869), 141471(869), 143624 AND TWO	
		141469(869)	
143624	•	BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET	1
143624		WHEEL HUB O RING (INSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET	1
147024		WHEEL HUB O RING (OUTSIDE)	
158045	5	BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET	1
154004		WHEEL HUB THRUST WASHER (UUTSIDE) BED SHAFT (RIGHT) FLANGED BUSHING (RIGHT, OUTER)	1
156296	5 830	BED SHAFT (RIGHT) DIL PLUG (RIGHT) SCREW	1
141471	8 69	BED SHAFT (RIGHT) SPROCKET WHEEL POSITION SCREW	1

		(1/4 X 40 SS X 7/16 IN. LONG. ALLEN CONE POINT	
		SET SCREW)	
1/1/70	64.0	TO THE PERSON OF	1
141470	009	(1/4 X 40 SS X 7/16 IN. LONG. ALLEN FLAT POINT	
		SET SCREW)	
141469	860	THE PERSON AND COURT SHIFTS CET CEDEN	2
141409	30 9	LOCKING SCREW	
156249		BELT GUARD	1
156250		RELT GUARD HINGE STUD	1
141309			1
1 (1)0 >		LONG. ALLEN FLAT POINT SET SCREW)	
156251		BELT GUARD LATCH SPRING	1
140003		BELT GUARD LATCH SPRING SCREW	2
871		BELT GUARD LATCH SPRING STUD SCREW	1
156252		BELT GUARD (HINGED) COMPLETE, NOS. 156249, 156251	1
		AND TWO 140003(805)	•
156388		CLUTH PLATE 156387-900 WITH 156392-900	1
156389		CLOTH PLATE COVER PLATE	
156390		CLOTH PLATE COVER PLATE 156389 WITH 156391 AND	Ţ
		THREE EACH 50009(803) AND 175032	1
156391		CLOTH PLATE COVER PLATE SPRING	2
5000 9	803	CLOTH PLATE COVER PLATE SPRING SCREW	3 3
175032		CLOTH PLATE COVER PLATE SPRING SCREW WASHER	5
	819	CLOTH PLATE SCREW FACE PLATE WITH 141443(819), AND 157474	í
157824		FACE PLATE GASKET	1
156204	010	FACE PLATE GASKET FACE PLATE PLUG SCREW	1
		FACE PLATE PLUG SCREW GASKET	1 2 2
157474 145		•	2
143		n = n = m = m · · · · · · · · · · · · · · · ·	2
157842		FEED BAR WITH 223(803), 141292(869), 141476,	1
131042		156069 AND 156070	
156141		FEED BAR COMPLETE, NOS. 1519(819), 127784,	1
130111		141295(803), 156067, 156068, 156142 AND 157842	
157731		FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF	1
		WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E.	
		F-1 FELT WICK)	
157732		FEED BAR HINGE PIN OIL WICK (7/32 IN. DIAM. X 2 5/8	1
		IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN	
		NO. 157731	1
141292	8 69	FEED BAR HINGE PIN SET SCREW (8 X 32 X 3/16 IN.	•
_		LONG. ALLEN FLAT POINT SET SCREW)	1
156187		FEED CONNECTING ROD WITH 141292(869)	î
156211		FEED CONNECTING ROD HINGE PIN FEED CONNECTING ROD HINGE PIN SET SCREW (8 X 32 X	ī
141292	869	3/16 IN. LONG. ALLEN FLAT POINT SET SCREW)	_
1 = 7 / 77	•	FEED DOG (12 TEETH PER INCH) FOR 16 AND 18 GAUGES	1
157477		NOTEO WHEN ORDERING NO. 157477 GAUGE NEED NOT BE	
		SPECIFIED.	
141476	,	FEED DOG HEIGHT ADJUSTING SCREW (WITH NYLOCK)	1
111710	•		

PART N	OWRER		
MAIN	SUFF	DESCRIPTION	QTY
,,,,,			
156067		FEED DOG HOLDER	1
156069		FEED DOG HOLDER ADJUSTING SCREW	1
_	819	FEED DOG HOLDER NUT	1
156068		FEED DOG HOLDER NUT WASHER	1
350719	869	FEED DOG SCREW	1
7071	• • •	FFFD DRIVING ECCENTRIC BODY CLAMPING WASHER	2 2 1
	805	FFED DRIVING ECCENTRIC BODY CLAMPING WASHER SCREW	2
141471			1
141469		FFED DRIVING ECCENTRIC BODY SET SCREW	2
157835		FFFD DRIVING ECCENTRIC (ADJUSTABLE) COMPLETE, NOS.	1
151055		50328(803), 141471(869), AND TWO EACH 217(805),	
		7071 AND 141469(869)	
157896		FEED DRIVING ECCENTRIC SPACER	1
157781		FEED LIFTING ECCENTRIC WITH TWO 141301(869)	1
156043		FEED LIFTING ECCENTRIC CONNECTION	1
156781		FEED LIFTING ECCENTRIC CONNECTION HINGE PIN WITH A	1
10101		SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X 13/16	
		IN. LONG S.A.E. F-1 OIL WICK)	
156782		FEED LIFTING ECCENTRIC CONNECTION HINGE PIN DIL	1
130.05		WICK (1/8 IN. DIAM. X 13/16 IN. LONG, S.A.E. F-1	
		OIL WICK) FOR USE WITH U56781	
222	803	THE PARTY OF THE P	1
223	003	SCREW	
141301	940	FEED LIFTING ECCENTRIC SET SCREW (8 X 32 X 1/8 IN.	2
141501	009	LONG. ALLEN FLAT POINT SET SCREW)	
50226	002	FEED REGULATING SCREW	1
50328		FEED ROCKER WITH TWO 141303(869)	1
156179		FEED ROCKER CLAMPING SCREW (8 X 32 X 1/2 IN.	2
141303	869	LONG. ALLEN CAP SCREW)	_
15/10/		FEED ROCKER SHAFT WITH 453(830)	1
156184		FEED ROCKER SHAFT BUSHING (LEFT)	ī
156180) -	FEED ROCKER SHAFT BUSHING (LEFT) 156180	ī
150195)	WITH TWO 156181	_
15/101		FEED ROCKER SHAFT BUSHING (LEFT) O RING (PARKER	2
156181	-	0 RING NO. 2-14)	
156182	,	FEED ROCKER SHAFT BUSHING (INTERMEDIATE)	1
156796		FEED ROCKER SHAFT BUSHING (INTERMEDIATE)	1
100190)	156182 WITH 156181	
156181	1	FEED ROCKER SHAFT BUSHING (INTERMEDIATE) O	1
190101	L	RING (PARKER O RING NO. 2-14)	
156183	2	FEED ROCKER SHAFT BUSHING (RIGHT)	1
156191		FEED RUCKER SHAFT COLLAR WITH TWO 141301(869)	2
141301			4
141301	1 603	IN. LONG. ALLEN FLAT POINT SET SCREW)	
15422	2	FEED ROCKER SHAFT CRANK WITH 141303(869)	1
156223		The second of the state of the second	1
141303	לסס כ	1/2 IN. LONG. ALLEN CAP SCREW)	
4.5	3 830		1
45: 15606:		HAND WHEEL WITH TWO 140409(869)	1
			2
14040	צסס ל	DAND WHELE SET SOMER TITT A 20 A STO THE ESTATE	_

1

QTY

		141313(830) AND 141314(830)	_
157772		LOOPER DRIVING LEVER CONNECTION ALIGNMENT PLATE	2
350726	869	LOOPER DRIVING LEVER CONNECTION ALIGNMENT PLATE	4
		SCREW	2
141314		LOOPER DRIVING LEVER CONNECTION BEARING (CRANK END)	2
141314		CAP SCREW LOOPER DRIVING LEVER CONNECTION BEARING (STUD END)	2
141313	830		2
156563		CAP SCREW LOOPER DRIVING LEVEP CONNECTION OIL TUBE (PLASTIC)	1
158044		LOOPER DRIVING LEVER OIL GUARD	ī
157728		LOOPER DRIVING LEVER ROCK SHAFT	ĩ
156478		LOOPER ORIVING LEVER ROCK SHAFT BUSHING (BACK)	ī
157730		LUGPER DRIVING LEVER ROCK SHAFT BUSHING (FRONT)	1
131130		WITH 156516	_
156516		LOUPER DRIVING LEVER ROCK SHAFT BUSHING (FRONT)	1
		U RING (PARKER NO. 2-13)	
156475		LOOPER DRIVING LEVER ROCK SHAFT COLLAR WITH TWO	1
		350680(869)	
350680	869	LOOPER DRIVING LEVER ROCK SHAFT COLLAR SET SCREW	2
		(8 X 32 X 1/4 IN. LONG. ALLEN CAP SCREW)	
156229		LOOPER DRIVING LEVER ROCK SHAFT COVER	1
156230		LOOPER DRIVING LEVER ROCK SHAFT COVER GASKET	1
	833	LOOPER DRIVING LEVER ROCK SHAFT COVER SCREW	4
51637	809	LOOPER DRIVING LEVER ROCK SHAFT STUD NUT	1
8787		LOOPER DRIVING LEVER ROCK SHAFT STUD NUT WASHER	1
157706		LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.010)	1
157707		LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.040) NOTEO SPACERS NOS. 157706 AND 157707 ARE TO BE	ı
		USED IN AMOUNTS AS REQUIRED.	
157847		LOOPER DRIVING LEVER ROCK SHAFT THRUST SPACER	1
156739		LOOPER HOLDER WITH TWO 350595(869)	ī
157630		LOOPER HOLDER 156739 WITH 1056(833), 1664(805),	1
13.030		8905. 157735. 157738 AND SUITABLE LENGTH OF WICKING	
		(1/8 IN. DIAM. X 1 3/16 IN. LONG PIPE CLEANER)	
156472		LOOPER HOLDER CONE WITH TWO 141301(869)	1
1423	805	LOOPER HOLDER CONE LOCK SCREW	1
1664	805	LOOPER HOLDER CONE LOCK SCREW NUT	1
157087		LOOPER HOLDER CONE LOCK SCREW O RING	1
		(PARKER NO. 2-6)	_
141301	869	LOOPER HOLDER CONE SET SCREW (8 X 32 X 1/8 IN.	2
157004		LONG. ALLEN FLAT POINT SET SCREW)	1
157084	OAE	LOOPER HOLDER CONE STUD LOOPER HOLDER CONE STUD LOCK NUT	1
51 724 8905	805	LOOPER HOLDER CONE STUD LOCK NUT WASHER	1
157085		LOOPER HOLDER CONE STUD OIL METERING SCREW	î
158229		LOUPER PITMAN ROD	î
158230		LOOPER PITMAN ROD 158229 WITH 1649(803) AND	ī
2,52,50		1650(803)	
157735		LOOPER PITMAN ROD END BEARING (LEFT) WITH TWO	1
		141317(830)	

PART	NUMBE	R	
MAIN	SUFF	DESCRIPTION	QTY
			1
156165		LOOPER ROCKER SHAFT BUSHING (RIGHT)	1
156799		LOOPER ROCKER SHAFT BUSHING (RIGHT) 156165 WITH	ı
		156516 LOOPER ROCKER SHAFT BUSHING (RIGHT) O RING	1
156516		(2-13 PARKER)	•
154054		LOOPER ROCKER SHAFT COLLAR (RIGHT) WITH 141289(869)	1
156056 141289		THE PARTY OF THE P	1
14120)	007	SCREW (10 X 32 X 5/8 IN. LONG. ALLEN SOCKET CAP	
		SCREW)	
156474		LOOPER ROCKER SHAFT SPACER WITH TWO 141301(869)	1
141301	869	LOOPER ROCKER SHAFT SPACER SET SCREW	2
157714		LOOPER ROCKER SHAFT THRUST SPACER (LEFT AND RIGHT)	2 2
350595	869	LOOPER SET SCREW (10 X 32 X 3/16 IN. LONG.	2
		ALLEN FLAT POINT SET SCREW)	1
158190	İ	LOOPER THROW-CUT COMPLETE, NOS. 157761, 158185	1
		AND 158230 LOOPER THROW-OUT LOCKING PLUNGER	1
158191		LOOPER THROW-OUT LOCKING PLUNGER RELEASER	i
158192 158193		LOOPER THROW-OUT LOCKING PLUNGER RELEASER CAP	ī
	803		ī
1100	, ,,,,,	LOCK NUT	
158194	+	LOOPER THROW-OUT LOCKING PLUNGER SPRING	1
156167		MACHINE CUSHION STUD (LEFT)	2
156608	3	MACHINE CUSHION STUD (LEFT) SPACER	2
		NEEDLE CAT. 3650 SIZE NO. 19	1
158129		NEEDLE BAR (HOLLOW)	1
158219	016	NEEDLE BAR COMPLETE, FOR 16 GAUGE, NOS.	1
		139116(016), 143497 AND 158129 NEEDLE BAR COMPLETE, FOR 18 GAUGE, NOS.	1
158219	9 018	139116(018), 143497 AND 158129	•
		NOTEO WHEN ORDERING NO. 158219 CODE FOR GAUGE	
		REQUIRED MUST BE STATED.	
158048	2	NEEDLE BAR BUSHING (LOWER)	1
157826		NEEDLE BAR BUSHING (LOWER AND UPPER) OIL WICK	1
		(1/8 IN. DIAM. X 10 IN. S.A.E. F-1 WHITE FELT)	
		FOR USE WITH 157827	,
15782	7	NEEDLE BAR BUSHING (LOWER AND UPPER) OIL WICK (1/8	1
		IN. DIAM. X 10 IN. S.A.E. F-1 WHITE FELT)	
1200	,	WITH TWO 13994 NEEDLE BAR BUSHING (LOWER AND UPPER) OIL	2
13994	+	WICK CLIP	_
15647	1	NEEDLE BAR BUSHING (UPPER)	1
15782		NEEDLE BAR CONNECTING WITH 157861	1
14055		NEEDLE BAR CONNECTING LINK HINGE STUD CLAMPING	1
		SCREW	_
103	6 830	NEEDLE BAR CONNECTING LINK HINGE STUD	1
		POSITION SET SCREW	1
15786		NEEDLE BAR CONNECTING STUD WITH 141305(869)	1
14130		NEEDLE BAR CONNECTING STUD CLAMPING SCREW	1
13911	i	NEEDLE BAR CONNECTING STUD SLIDE BLOCK	•

PARI	MOMDE		
MAIN	SUFF	DESCRIPTION	QTY
		THE PLACE CHIEF	,
143496		NEEDLE BAR CONNECTING STUD SLIDE BLOCK GUIDE	1 2
1485		NEEDLE BAR CONNECTING STUD SLIDE BLOCK GUIDE SCREW	2
59456		NEEDLE BAR CONNECTING STUD SLIDE BLOCK GUIDE	2
		SCREW WASHER	1
140542		NEEDLE BAR CRANK POSITION SCREW NEEDLE BAR THREAD RETAINER	i
146665		NEEDLE BAR THREAD RETAINER BRACKET	ī
157057		NEEDLE BAR THREAD RETAINER BRACKET COMPLETE,	1
157058		NOS. 50163(850), 54865, 146665 AND 157057	•
400	0.00	NEEDLE BAR THREAD RETAINER BRACKET SCREW	1
	809	NEEDLE BAR THREAD RETAINER SCREW	ī
50163		NEEDLE BAR THREAD RETAINER SCREW WASHER	î
54865		NEEDLE CLAMP WITH TWO 1498(830) FOR 16 GAUGE	î
139116		NEEDLE CLAMP WITH TWO 1498(830) FOR 18 GAUGE	ī
139116		NOTEO WHEN ORDERING NO. 139116 STATE GAUGE	•
139116	016	REQUIRED.	
143497		NEEDLE CLAMP THREAD GUIDE	1
	830	NEEDLE SET SCREW	2
156142		NEEDLE GUARD WITH 157197	1
156070		NEEDLE GUARD ADJUSTING SCREW	1
157197		NEEDLE GUARD PIVOT PIN	1
141295		NEEDLE GUARD SCREW	1
127784		NEEDLE GUARD SCREW WASHER	1
143176		NUMBER PLATE RIVET	2
156663		OIL PUMP (CENTRIFUGAL) BODY	1
157361		OIL PUMP (CENTRIFUGAL) BDDY 156663 WITH 50123(803),	1
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		66581, 143072, 143073, 143074, 143075, 156479	
		AND FOUR 189(805)	
143071		OIL PUMP (CENTRIFUGAL) BODY POSITION PIN	2
	805	OIL PUMP (CENTRIFUGAL) BODY SCREW	3
143072		OIL PUMP (CENTRIFUGAL) COVER	1
143073	,	OIL PUMP (CENTRIFUGAL) IMPELLER	1
50123	803		1
143074		OIL PUMP (CENTRIFUGAL) SCREEN	1
143075		OIL PUMP (CENTRIFUGAL) SCREEN FRAME	1
	805	OIL PUMP (CENTRIFUGAL) SCREEN FRAME SCREW	4
156479		DIL PUMP (CENTRIFUGAL) SHAFT	1
143015	,	OIL PUMP (CENTRIFUGAL) SHAFT BEVEL GEAR (LEFT HAND	1
		SPIRAL) WITH TWO 1259(830)	
		NOTEO TO ENSURE PROPER FUNCTIONING OF GEARS NO.	
		143015 WILL NOT BE SUPPLIED SEPARATELY TO AGENCIES.	
		BUT WILL BE SUBSTITUTED BY PAIR OF GEARS NO.	
1050	830	156558. OIL PUMP (CENTRIFUGAL) SHAFT BEVEL GEAR SET SCREW	2
66581		OIL PUMP (CENTRIFUGAL) SHAFT THRUST COLLAR WITH	ī
00001		TWO 50150(830)	•
50150	830	OIL PUMP (CENTRIFUGAL) SHAFT THRUST COLLAR SET	2
70170	, 550	SCREW	_
156772	•	OIL REMOVING TUBE (HEAD END)	1
146703		OIL REMOVING TUBE (HEAD END) CLAMP	1

PART NUMBER		OTY
MAIN SUFF	DESCRIPTION	QTY
158036	OIL REMOVING TUBE (HEAD END) LINT SCREEN (CLOTH)	1 1
157727	OIL RESERVOIR WITH 141466, 143601, 164133,	1
* ST 1 1 / "F	164134 AND TWO EACH 1485(833) AND 164132 OIL RESERVOIR AND MACHINE CUSHION STUD (RIGHT)	2
156167 141466	OIL RESERVOIR DRAIN PLUG SCREW	1
156240	OIL RESERVOIR GASKET	1
143601	OIL RESERVOIR OIL SIGHT GAUGE BACKGROUND DISC	1
164132	OIL RESERVOIR OIL SIGHT GAUGE BACKGROUND DISC	1
	GASKET	•
164133	OIL RESERVOIR OIL SIGHT GAUGE WINDOW	1
164132	GIL RESERVOIR OIL SIGHT GAUGE WINDOW GASKET	i
164134	GIL RESERVOIR DIL SIGHT GAUGE WINDOW RETAINER OIL RESERVOIR DIL SIGHT GAUGE WINDOW RETAINER SCREW	
1485 833 50073 805	OIL RESERVOIR SCREW (CENTER)	2 2 2
949 805	OIL RESERVOIR SCREW (LEFT)	
156773	OIL TUBE FOR DILING BED SHAFT BUSHING (RIGHT.	1
	INNER)	
156774	OIL TUBE FOR OILING ARM SHAFT BUSHING	1
	(INTERMEDIATE)	4
90100	GIL TUBE RETAINER CLIP OIL TUBE COMPLETE WITH A SUITABLE LENGTH OF	i
157812	WICKING 3/16 IN. X 2 1/2 IN. LONG S.A.E. F-1 FELT	-
	AND TWO SUITABLE LENGTHS OF WICKINGS 3/32 IN. X	
	4 1/2 IN. LONG NO. 1229 LIGHTER WICK FOR CILING	
	FEED LIFTING AND LOOPER AVOIDING ECCENTRICS	_
157813	GIL TUBE GIL WICK (3/16 IN. X 2 1/2 IN. LONG S.A.E.	1
	F-1 FELT) FOR OILING WICK NO. 157814, FOR USE WITH	
	OIL TUBE COMPLETE NO. 157812 OIL TUBE OIL WICK (3/32 IN. X 4 1/2 IN. LONG	2
157814	NO. 1229 LIGHTER WICK) FOR OILING FEED LIFTING AND	_
	LOOPER ECCENTRICS, FOR USE WITH OIL TUBE COMPLETE,	
	NO. 157812.	_
157815	OIL TUBE COMPLETE WITH A SUITABLE LENGTH OF	1
	WICKING, 1/8 IN. X 10 3/4 IN. LONG S.A.E. F-1 FELT,	
	FOR DILING FEED BAR HINGE PIN	1
156848	OIL TUBE OIL WICK (1/8 IN. X 10 3/4 IN. LONG, S.A.E. F-1 FELT, FOR OILING FEED BAR HINGE PIN,	•
	FOR USE WITH OIL TUBE COMPLETE NO. 157815	
156055	OIL TUBE ADAPTOR WITH 209(830) FOR USE WITH	2
130033	157812 AND 157815	_
209 830	OIL TUBE SCREW	2
156558	PAIR OF MATED GEARS FOR DRIVING OIL PUMP, NOS.	1
	143015 AND 156557	1
156285	PRESSER BAR	î
156502	PRESSER BAR BUSHING PRESSER BAR LIFTING CLAMP WITH 141303(869)	ī
157839	PRESSER BAR LIFTING CLAMP CLAMPING SCREW	1
156247	PRESSER BAR LIFTING CRANK WITH 350595(869)	1
149760	PRESSER BAR LIFTING CRANK LINK	1
1425 803	PRESSER BAR LIFTING CRANK LINK SCREW	1

MAIN	SUFF	PESCHIF I TON	. •
350595	869	SKE22FY DAY FILLING CHAMA 2FL SOVER (72 11 2	1
3,03,,	00,	IN. LONG. ALLEN FLAT POINT SET SUREW)	,
157077		PRESSER BAR LIFTING LEVER WITH 141309(869)	1 1
157083		PRESSER BAR LIFTING LEVER 157077 WITH 181(850),	ī
		1521(805), 9525, 51953, 53657(850), 140024(830),	
		157081, 157082 AND TWO EACH 588(850) AND 1718(850)	1
141402	850	PRESSER BAR LIFTING LEVER (ADJUSTABLE) STOP SCREW	•
	250	(LIFTING) PRESSER BAR LIFTING LEVER (ADJUSTABLE) STOP	1
1662	850	SCREW (LIFTING) NUT	_
140024	920	PRESSER BAR LIFTING LEVER (ADJUSTABLE) STOP SCREW	1
140024	050	(LOWERING)	
1521	805	PRESSER BAR LIFTING LEVER (ADJUSTABLE) STOP	1
1721	007	SCREW (LOWERING) NUT	
141309	869	PRESSER BAR LIFTING LEVER SET SCREW (1/4 X 28 X 1/4	1
141507	00)	IN. LONG. ALLEN SOCKET FLAT POINT SET SCREW)	
156265		PRESSER BAR LIFTING LEVER SPRING	1
156248		PRESSER BAR LIFTING LEVER SPRING PIN	1
157079		PRESSER BAR LIFTING SHAFT	1
156195		PRESSER BAR LIFTING SHAFT BUSHING (LEFT)	1
156195		PRESSER BAR LIFTING SHAFT EUSHING (RIGHT)	1
156196		PRESSER BAR LIFTING SHAFT BUSHING (RIGHT) O RING	1
		(NATIONAL O RING 622703)	1
156203		PRESSER BAR SPRING	1
156286		PRESSER BAR SPRING LOCATING PIN	1
157622		PRESSER FOOT (HINGED) COMPLETE FOR 16 GAUGE PRESSER FOOT (HINGED) COMPLETE FOR 18 GAUGE	ì
157622	018	NOTEO WHEN ORDERING NO. 157622 CODE FOR GAUGE	•
		REQUIRED MUST BE STATED.	
141318	850	The second secon	1
51614		THE RESIDENCE OF THE PARTY OF T	1
156992		SLACK THREAD CONTROLLER (NEEDLE THREAD)	1
2102		TENSION DISC	4
156606			1
997	819	TENSION PLATE SCREW	4
156375		TENSION PLATE SPACER	4
1560	803	TENSION REGULATING THUMB NUT	2
156609		TENSION RELEASE	1 2
32572		TENSION RELEASING DISC	1
157080		TENSION RELEASING LEVER	1
51953		TENSION RELEASING LEVER ROLLER TENSION RELEASING LEVER ROLLER LINK	ī
157081		TENSION RELEASING LEVER ROLLER LINK ADJUSTING SCREW	ī
	850	TENSION RELEASING LEVER ROLLER LINK ADJUSTING	ī
53657	000	SCREW NUT	_
9525		TENSION RELEASING LEVER ROLLER LINK ADJUSTING	1
7,76,7		SCREW WASHER	
157082		TENSION RELEASING LEVER ROLLER LINK CONNECTION	1
	850	TENSION RELEASING LEVER ROLLER LINK CONNECTION	1
	-	HINGE SCREW	

PART N	UMBER		
MAIN	SUFF	DESCRIPTION	QTY
1718	850	TENSION RELEASING LEVER ROLLER LINK CONNECTION	1
588	850	HINGE SCREW NUT TENSION RELEASING LEVER ROLLER SCREW	1
1718		TENSION RELEASING LEVER ROLLER SCREW NUT	1
141550		TENSION RELEASING LEVER SCREW	1
156487		TENSION RELEASING LEVER SPRING	1
156262		TENSION RELEASING PIN	2
156376		TENSION SPRING (LOOPER THREAD)	1 2 2 2 2 2 2
140043	806	TENSION STUD	2
156801		TENSION THREAD CONTROLLER (LOOPER THREAD)	2
156316		TENSION THREAD GUIDE TENSION (LOOPER THREAD) COMPLETE, NOS. 1560(803),	2
157110		32572, 140043(806), 156376 AND TWO 2102	_
157833		THREAD (LOOPER) TAKE-UP WITH 158196 AND TWO	1
101000		141301(869)	
158196		THREAD (LOOPER) TAKE-UP POSITION PIN (ELASTIC STOP	1
130176		NUT ROLL PIN 59-012-062-0187)	
141301	869	THREAD (LOOPER) TAKE-UP SET SCREW (8 X 32 X 1/8 IN.	2
_		ALLEN FLAT POINT SET SCREW)	_
157627		THREAD (LOOPER) TAKE-UP STRIPPER	1
51047	803	THREAD (LOOPER) TAKE-UP STRIPPER CLAMPING SCREW	1
157351		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER	1
156037		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER BRACKET WITH 50117(830) AND 156445	•
35///5		THE THE THE THE CENTER OF HOLDER PRACTET DIN	1
156445	930	THREAD (LOOPER) TAKE-UP STRIPPER HOLDER	1
50117	050	BRACKET SCREW	
50117	ยวก	The second secon	1
158222		THREAD (LOOPER) TAKE-UP STRIPPER PLATE	1
158228		THREAD (LOOPER) TAKE-UP STRIPPER PLATE COMPLETE.	1
-		NOS. 50117(830), 51047(803), 156037, 156048,	
		157351, 157627, 158222, TWO 158204 AND THREE	
_		229(805)	2
156445		THREAD (LOOPER) TAKE-UP STRIPPER PLATE POSITION PINTHREAD (LOOPER) TAKE-UP STRIPPER PLATE SCREW	ī
51119 9525		THREAD (LOOPER) TAKE-UP STRIPPER PLATE SCREW	ī
9525	,	WASHER	
156048	ŧ	THREAD (LOOPER) TAKE-UP STRIPPER STAPLE	1
	805	THREAD (LOOPER) TAKE-UP STRIPPER STAPLE SCREW	1
158204		THREAD (LOOPER) TAKE-UP THREAD GUIDE (LEFT AND	2
		RIGHT)	•
229	805	THREAD (LOOPER) TAKE-UP THREAD GUIDE (LEFT AND	2
		RIGHT) SCREW	1
158136		THREAD (LOOPER) THREAD GUARD COMPLETE,	•
1/22	005	NOS. 219(805), 156429 AND TWO 1423(805) THREAD (LOOPER) THREAD GUARD EXTENSION SCREW	2
1423	3 805	(LARGE)	-
210	805	THREAD (LOOPER) THREAD GUARD EXTENSION SCREW	1
21	, 505	(SMALL)	
156174	+	THREAD (LOOPER) THREAD GUARD HINGE (LEFT)	1

PART	NUMBE	K	
MAIN	SUFF	DESCRIPTION	QTY
		CORTIL	2
51369	819	THREAD (LOOPER) THREAD GUARD HINGE (LEFT) SCREW	2 1
156177		THREAD (LOOPER) THREAD GUARD HINGE (RIGHT)	2
51369	819	THREAD (LOOPER) THREAD GUARD HINGE (RIGHT) SCREW	1
156386		THREAD (LOOPER) THREAD GUARD LATCH SPRING	1
156429		THREAD (LOOPER) THREAD GUARD LATCH SPRING PIN	2
140003	805	THREAD (LOOPER) THREAD GUARD LATCH SPRING SCREW	1
156326		THREAD (LOOPER) THREAD GUIDE (CENTER) (IN BED)	1
14066 6	819	THREAD (LOOPER) THREAD GUIDE (CENTER) SCREW	1
156322		THREAD (LOOPER) THREAD GUIDE (LEFT) (IN BED)	
1019	830	THREAD (LOOPER) THREAD GUIDE (LEFT) SET SCREW	1
156318		THREAD (LOOPER) THREAD GUIDE (RIGHT) (IN BED)	1
	819	THREAD (LOOPER) THREAD GUIDE (RIGHT) SCREW	1
156744		THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	2 1
158047		THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	1
		BRACKET WITH 199(819) AND 156695	1
140024	830	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	Ţ
		BRACKET MOUNTING SCREW	1
9525		THREAD (LOOPER) THREAD TUBE (FRONT OF ARM) BRACKET	1
		MOUNTING SCREW WASHER	•
156695		THREAD (LOOPER) THREAD TUBE (FRONT OF ARM) BRACKET	1
		POSITION PIN	
199	819	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM) CLAMPING	5 1
		SCREW	•
156550		THREAD (NEEDLE) TAKE-UP (LEFT) WITH 51281(830)	1
051281		THREAD (NEEDLE) TAKE-UP (LEFT) CLAMPING SCREW	1
156537		THREAD (NEEDLE) TAKE-UP (RIGHT) WITH TWO	1
		350595(869)	2
7071		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	2
		BODY CLAMPING WASHER	2
217	805	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	2
		BODY CLAMPING WASHER SCREW	3
141469	869	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	3
		BODY SET SCREW	1
15783 6		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	T
		(ADJUSTABLE) COMPLETE, NOS. 50328(803), TWO EACH	
		217(805), 7071 AND THREE 141469(869)	1
157715		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	•
15/011		CONNECTING ROD WITH 141141(869) THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
156211			•
1/11/1	94.0	CONNECTING ROD HINGE PIN THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
141141	869	CONNECTING ROD HINGE PIN SET SCREW (10 X 32 X 3/16	•
35/350	,	IN. LONG. ALLEN CUP POINT SET SCREW) THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
156758	j		•
		CONNECTING ROD SPACER	1
158040	1	THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	
		WITH 157265 AND SUITABLE LENGTH OF WICKING	
15/7/5		(3/16 IN. DIAM. X 8 1/2 IN. LONG S.A.E. F-1 FELT)	1
156763		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	•
		BUSHING (LEFT)	

PART N	IIMBER		
MAIN		DESCRIPTION	QTY
LIMITIA	5011		
156764		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
170104		RUSHING (1FFT) 156763 WITH 156181	•
156181		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
156765		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
100100		RUSHING (RIGHT)	1
156181		THREAD (NEEDLE) TAKE-UP (RIGHT) DSCILLATING SHAFT BUSHING (RIGHT) D RING	
156191		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	2
		COLLAR WITH TWO 141301(869) THREAD (NEEDLE) TAKE-UP (RIGHT) DSCILLATING SHAFT	4
141301	8 6 9	COLLAR SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN	
		FLAT POINT SET SCREW	-
156223		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
1/1202	940	CRANK WITH 141303(869) THREAD (NEEDLE) TAKE-UP (RIGHT) DSCILLATING SHAFT	1
141303	609	CRANK CLAMPING SCREW (8 X 32 X 1/2 IN. LONG	
		ALLEN CAP SCREW)	1
158041		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT OIL WICK (3/16 IN. DIAM. X 8 1/2 IN. LONG S.A.E.	ı
158041		F-1 FELT) FOR USE WITH 158040	
157265		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
		OTE WICK RETAINING PIN	1
50328		THREAD (NEEDLE) TAKE-UP (RIGHT) REGULATING SCREW THREAD (NEEDLE) TAKE-UP (RIGHT) SET SCREW	2
350595	869	(10 X 32 X 3/16 IN. LONG ALLEN SOCKET FLAT	_
		POINT SET SCREW)	•
158115	i	THREAD (NEEDLE) THREAD CONTROL DEVICE COMPLETE,	1
		NOS. 217(819), 330(819), 1247(819), 1443(806), 1771(805), 6465, 50111(819), 50183(806), 51310(819)	
		157747 157753 157755 157756 157760 157760	
		157960, 158121, 158123, 158126, 227224 AND THU	
		FACH 7071 AND 144282	1
157747		THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	2
140295	013	MOUNTING SCREW (FRONT)	_
158198	3	THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	1
	_	SPACER (BACK) THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	1
144282	2	SPACER (FRONT)	_
2102	2	THREAD (NEEDLE) THREAD CONTROL TENSION DISC	4
	803	THREAD (NEEDLE) THREAD CONTROL TENSION REGULATING	2
	-	THUMB NUT THREAD (NEEDLE) THREAD CONTROL TENSION RELEASER	1
15811	1 5 850	TONCTON DELEASED	2
JU73.	, 0,0	PLATE STOP SCREW	2
3257	2	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	2
15812	1	DISC THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
1,012	_	PLATE	

PART N	UMBER		
MAIN		DESCRIPTION	QTY
MAIN	3011		
		THE TOTAL THE SAME CONTROL TENSION DELEACING	1
158123		THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING PLATE FINGER	•
1443	806	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
7071		PLATE FINGER SCREW THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
1011		PLATE FINGER SCREW WASHER	•
50183	806	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING PLATE HINGE SCREW	1
1771	805	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
		PLATE HINGE SCREW NUT	1
6465		THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING PLATE HINGE SCREW NUT WASHER	1
156376		THREAD (NEEDLE) THREAD CONTROL TENSION SPRING	2
140043		TOTAL CALL	2
158124		THREAD (NEEDLE) THREAD CONTROL TENSION SUPPORT	1
170124		PLATE	
158125		THREAD (NEEDLE) THREAD CONTROL TENSION SUPPORT	1
130123		PLATE WITH TENSIONS COMPLETE, NOS. 158117, 158124,	
		AND TWO EACH 50435(850), 156316, 156801 AND 157110	
350787	819	THREAD (NEEDLE) THREAD CONTROL TENSION SUPPORT	1
330101		PLATE AND THREAD CONTROL DEVICE BRACKET (BACK)	
		MOUNTING SCREW	
156801		THREAD (NEEDLE) THREAD CONTROL TENSION THREAD	2
170001		CONTROLLER	0
156316		THREAD (NEEDLE) THREAD CONTROL TENSION THREAD	2
190310		GUIDE	
157110		THREAD (NEEDLE) THREAD CONTROL TENSION COMPLETE.	2
19/110		NOS. 1560(803), 32572, 140043(803), 156376 AND	
		TWO 2102	
157750		THREAD (NEEDLE) THREAD CONTROL THREAD WITH TWO	1
151150		350595(869)	
7071		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	2
1011		DRIVING ECCENTRIC BODY CLAMPING WASHER	
217	805	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	2
211	607	DRIVING ECCENTRIC BODY CLAMPING WASHER SCREW	
141469	860	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	3
141409	009	DRIVING ECCENTRIC BODY SET SCREW	_
157836		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
15/050	1	DRIVING ECCENTRIC (ADJUSTABLE) COMPLETE, NOS.	_
		50328(803), TWO EACH 217(805), 7071 AND THREE	
		141469(869)	
157715		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
171113	•	DRIVING ECCENTRIC CONNECTING ROD WITH 141141(869)	
156211		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
170211	•	DRIVING ECCENTRIC CONNECTING ROD HINGE PIN	
141141	240	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
141141	007	DRIVING ECCENTRIC CONNECTING ROD HINGE PIN SET	
		SCREW (10 X 32 X 3/16 IN. LONG. ALLEN CUP POINT	
		SET SCREW)	
154750)	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
156758)	INCAU (NECULE) INNEAD CONTROL HINCAD FOLE-OFF	-

MAIN	SUFF	DESCRIPTION	QTY

		DRIVING ECCENTRIC CONNECTING ROD SPACER	_
50328	803	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		DRIVING ECCENTRIC REGULATING SCREW	_
156219		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		OSCILLATING SHAFT WITH 156406 AND 157265	_
156220		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		OSCILLATING SHAFT BUSHING (LEFT)	
158039		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		OSCILLATING SHAFT BUSHING (INTERMEDIATE)	_
156181		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		OSCILLATING SHAFT BUSHING (INTERMEDIATE) O RING	_
156221		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		OSCILLATING SHAFT BUSHING (RIGHT)	
156181		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		OSCILLATING SHAFT BUSHING (RIGHT) O RING	
156191		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	2
		OSCILLATING SHAFT COLLAR WITH TWO 141301(869)	
141301	869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	4
		OSCILLATING SHAFT COLLAR SET SCREW (8 X 32 X 1/8	
		IN. LONG ALLEN FLAT POINT SET SCREW)	
156223		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		OSCILLATING SHAFT CRANK (RIGHT) WITH 141303(869)	
141303	869		1
		OSCILLATING SHAFT CRANK (RIGHT) CLAMPING SCREW	
		(8 X 32 X 1/2 IN. LONG. ALLEN CAP SCREW)	
156406		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		OSCILLATING SHAFT DIL WICK (3/16 IN. X 11 IN. LONG,	
		S.A.E. F-1 OIL WICK)	
157265		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		OSCILLATING SHAFT OIL WICK POSITION PIN	
350595	869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	2
		SET SCREW	
158126		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP	
157753		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP ADJUSTING SHAFT	
227224		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP ADJUSTING SHAFT COLLAR WITH	
		201052(833)	
201052	833		1
		THREAD TAKE-UP ADJUSTING SHAFT COLLAR SET SCREW	
157765		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP CLAMP	
144282		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP CLAMP WASHER	
157755		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP CONNECTING LINK	
50111	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP CONNECTING LINK SCREW (LOWER)	
1247	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1

MAIN	SUFF	DESCRIPTION	QTY
1247 157756	819	THREAD TAKE-UP CONNECTING LINK SCREW (UPPER) THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP CONNECTING LINK SCREW (UPPER) SPACER	1
157960		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP POSITION INDICATOR WITH 350595(869)	1
51310	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP POSITION INDICATOR LOCKING THUMB SCREW	1
7071		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP POSITION INDICATOR LOCKING THUMB SCREW WASHER	1
350595	869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP POSITION INDICATOR SET SCREW	1
330	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP SCREW	1
157760		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP SLIDE	1
144282		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP SPACER	1
217	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP STOP SCREW	1
156564		THREAD (NEEDLE) THREAD WEARING GUIDE	1
157478	016	THROAT PLATE FOR 16 GAUGE	1
157478	018	THROAT PLATE FOR 18 GAUGE NOTEO WHEN ORDERING NO. 157478 CODE FOR GAUGE REQUIRED MUST BE STATED.	1
156042		THROAT PLATE LOCATING PIN	2
	806	THROAT PLATE SCREW	2
156336		THROAT PLATE SUPPORT WITH TWO 156042	1
156042		THROAT PLATE SUPPORT PIN	2 3
50128		THROAT PLATE SUPPORT SCREW	3
		CAUTION TAG NO. 13-21455	1
156907		FOOT LIFTER TREADLE CHAIN (42 IN. LONG) WITH 56864 AND 56865	1
<i></i>		NOTEO FOR OTHER SIZES OF CHAIN SEE NO. 6439. FOOT LIFTER TREADLE CHAIN HOOK (LARGE)	1
56864		FOOT LIFTER TREADLE CHAIN HOOK (SMALL)	ī
56865 157450		HEX SOCKET SCREW DRIVER (3/32 IN. HEX.)	1
161276		LINT BRUSH	1
156424		MACHINE CUSHION (LEFT) AND OIL RESERVOIR AND	4
130424		MACHINE CUSHION. (RIGHT) NEEDLE CATALOG NO. 3650 SIZE NO. 19	12
		REGULARLY FURNISHED WITH THIS MACHINE.	
156942	•	OIL CAN OIL SPOUT	1
32731		ONE QUART CAN FILLED WITH TYPE H DIL	2
26131	•	OPERATORS GUIDE NO. 13-21452	1
23308	!	SCREW DRIVER	1
156937		SCREW DRIVER (FOR NEEDLE SET SCREWS)	1

PART	NUMBE	D D	
MAIN		DESCRIPTION	QTY
156589		THREAD UNWINDER COMPLETE (SEE PAGE HEADED THREAD UNWINDER COMPLETE NO. 156589 FOR BREAKDOWN)	1
156851		THREADER	1
164204 154372		TWEEZERS LOOPER DRIVING LEVER GAUGE	i
		NOTEO GAUGE NO. 154372 IS ONLY FURNISHED WHEN ORDERED.	
157027		HEXAGON KEY WRENCH 5/64 IN. (REGULAR, LONG) HEXAGON KEY WRENCH 3/32 IN. (REGULAR, SHORT)	1
169071 157028		HEXAGON KEY WRENCH 1/8 IN. (REGULAR, SHORT)	i
157026		HEXAGON KEY WRENCH 9/64 IN. (REGULAR, SHORT)	ī
157029		HEXAGON KEY WRENCH 5/32 IN. (REGULAR, LONG)	1
157862		SET OF HEXAGON KEY WRENCHES NOS. 157026, 157027,	1
		157028, 157029 AND 169071	
		NOTEO SET OF HEXAGON WRENCHES NO. 157862 IS TO BE	
625092	E 0.2	FURNISHED ON ORDER ONLY. BASE WITH 148(819)	1
156574		ROD	î
	819		1
156575		SPOOL PIN	4
1722	819	SPOOL PIN NUT	8
156576		SPOOL REST	4
156577		SPOOL REST CUSHION	4 4
156578		SPOOL REST ROD (MEDIUM) SPOOL REST ROD HOLDER WITH TWO 141017(869)	1
156579 156588		SPOOL REST ROD HOLDER 156579 WITH FOUR 156578	ī
141017			2
156580		THREAD GUIDE (2 THREADS)	2 2 1
156581		THREAD GUIDE (4 THREADS)	
156583		*****	1
		THREAD GUIDE HOLDER SUPPORT SET SCREW	1 3
51285	809	THREAD GUIDE SCREW THREAD GUIDE SCREW NUT	3
150057		THREAD SEPARATOR (4 THREADS)	1
150058		THREAD SEPARATUR 150057 WITH 150059 (4 THREADS)	1
150059)	THREAD SEPARATOR BRACKET	1
156585		THREAD SEPARATOR ROD	1
625081		THREAD SEPARATOR ROD SWIVEL CLAMP THREAD SEPARATOR ROD SWIVEL CLAMP BALL JOINT STUD	2 1
140977	819	THREAD SEPARATOR ROD SWIVEL CLAMP BALL JOINT	î
		STUD LOCK NUT THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW	1
929058		THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW	1
		NUT	_
14017	,	THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW	1
187807		NUT WASHER THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER WITH	1
156586)	140409(869)	•
156587	,	THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER 156586	1
		WITH 1608(819), 14017, 51234(819), 140977(819),	

PART MAIN	NUMBE SUFF		QTY
141409 164	869 809	THREAD SEPARATUR SCREW	1 1 3
15.6500		WOOD SCREW 1 1/4 IN. NO. 12 R.H.B. THREAD UNWINDER (FOUR SPOOLS) COMPLETE, NOS.	1
156589		164(809), 150058, 156574, 156581, 156583, 156585, 156587, 156588, 625092-502, TWO 156580, THREE EACH 1520(809), 51285(809), WOOD SCREWS 1 1/4 IN. NO. 12 R.H.B., FOUR EACH 156575, 156576, 156577 AND EIGHT 1722(819)	
51070	819	THREAD UNWINDER BRACKET CAP SCREW WITH 51581(819)	2
51581	819	THREAD UNWINDER BRACKET CAP SCREW NUT	2 2
67425		THREAD UNWINDER BRACKET CAP SCREW NUT LOCK WASHER	2
443 156665	830	THREAD UNWINDER BRACKET SET SCREW THREAD UNWINDER BRACKET COMPLETE, NOS. TWO EACH 443(830), 51070(819) AND 67425 (FOR USE WHEN THREAD UNWINDER IS FASTENED TO CONDUIT PIPE NOTEO NO. 156665 IS TO BE FURNISHED ON REQUEST ONLY	1