

SINGER


91K3,K4

ILLUSTRATED
LIST OF PARTS
FOR
Class 91K Machines
(91K3 and 91K4)




THE SINGER MANUFACTURING COMPANY.


25537



86405







36569





36571


2/25








95886



95887



91879




95920




32575



32576




2102




8238




95863



95916



95917




91881



95869




95954




95956




95960



95952




95959



95953



95961



95951



66



95957



440





1700



95955





CONTENTS

					Price
Parts, complete, for No. 91K3 Machine	...	...	...	...	23
Parts Special to No. 91K4 Machine	...	...	...	...	28
Accessories	...	...	...	...	29

Illustrated List of Parts

FOR

91K3 and 91K4 Machines



In ordering from this List, the prefix and affix letters, with the part number, **MUST BE** quoted exactly as they are shown in the first column.

A number always indicates the same part, in whatever List it may appear, or for whatever machine.

The prefix *SS* indicates Screws made only at Singer.

" " *NN* " Nuts made only at Singer.

" " *RR* " Rollers and Studs made only at Singer.

The affix Letters (where shown) indicate the style of finish, as follows:—

A. Hardened, Polished and Plated.

B. Polished and Plated.

C. Hardened only.

D. Polished only.

E. Soft, not Polished.

F. Hardened and Polished.

H. Blued.

J. Plated only.

K. Hardened and Plated.

L. Brass or Gilt.

M. Oxidised.

P. Japanned.

R. Parkerised.

In this series :

1 to 1500 and 50001 to 51500 are Screw Numbers.

1501 " 1800 are Nut Numbers.

1801 " 2000 " Roller " "

2001 " 50000 are numbers of machine parts, etc.

80001 " 100000 are numbers of machine parts, etc.,
made only at Singer.

Parts marked with an asterisk () are furnished only when the repairs are made at Factory.*

PARTS COMPLETE

FOR

No. 91K3 MACHINE

Has Direct Gear Driven Looper Mechanism and Adjustable Top Feed ; makes a Double Chain Stitch (Piqué) ; diam. of Post $\frac{11}{16}$ " ; for Glove Work.

No.	Plate								
*95851		Arm	...	...	...	...	...	...	...
4389	1443	" Dowel Pin (2)	...	...	...	...	...	...	...
95858		" Oil Tube	...	...	...	...	...	...	...
138c	1356	" Screw (3)	...	...	...	...	...	...	...
95852	1437	Arm Shaft (horizontal)	...	...	...	...	...	...	...
95853	1438	" " (") Bush (front)	...	...	...	...	...	...	...
143c	1356	" " (") " (") Set Screw	...	...	...	...	...	...	...
95930	1438	" " (") " (rear)	...	...	...	...	...	...	...
148c	1356	" " (") " (") Set Screw	...	...	...	...	...	...	...
95854	1438	" " (") Gear with two 1259c	...	...	...	...	...	...	...
1259c	1356	" " (") " Set Screw	...	...	...	...	...	...	...
95855	1437	" " (upright)	...	...	...	...	...	...	...
95931	1438	" " (") Cam with 177c	...	...	...	...	...	...	...
95932	1438	" " (") " Fork	...	...	...	...	...	...	...
1395d	1357	" " (") " " Hinge Screw	...	...	...	...	...	...	...
177c	1356	" " (") " Set Screw	...	...	...	...	...	...	...
95854	1438	" " (") Gear with two 1259c	...	...	...	...	...	...	...
1259c	1356	" " (") " Set Screw	...	...	...	...	...	...	...
8300	1437	Arm Side Cover	...	...	...	...	...	...	...
286d	1356	" " " Thumb Screw	...	...	...	...	...	...	...
2007	1440	" Spool Pin	...	...	...	...	...	...	...
95857	1440	" " " Bushing	...	...	...	...	...	...	...
95859		Balance Wheel (2" diam.) with 146c and 1285c	...	...	...	...	...	...	...
95933	1437	" " (2½" ") " 446c " 1285c	...	...	...	...	...	...	...
95934		" " (2½" ") " 446c " 1285c	...	...	...	...	...	...	...
NOTE - Balance Wheel No. 95933 is supplied with this Machine unless otherwise specified on order.									
95945	1443	Balance Wheel Handle (Wood)	...	...	...	...	...	...	...
SS479d	1356	" " " Screw Spindle	...	...	...	...	...	...	...
1285c	1356	" " Position Screw	...	...	...	...	...	...	...
446c	1356	" " Set Screw	...	...	...	...	...	...	...
*95946		Bed	...	...	...	...	...	...	...

No.	Plate								
95917	1437	Face Plate							
190d	1356	"	"	Screw (3)	...	...	...	...	...
95862	1440	"	"	" Stud	...	...	...	...	...
95863	1441	"	"	Thread Nipper Bracket with 1823				...	...
SS65b	1356	"	"	"	"	"	Screw	...	...
82462	1443	"	"	"	"	"	Washer	...	...
1823	1357	"	"	"	"	Roller	...	...	...
95865	1438	Feed Cam with 1375c							
1375c	1357	"	"	Set Screw	...	...	...	...	...
95866	1443	Feed Lever with 1819							
1819	1357	"	"	Roller	...	...	...	...	...
95948	-	Feed Lifting Mechanism , complete, Nos. 440c, 4524c, 4700c, 1830, 95895, 95959 and 95960							
95867	1443	Feed Regulator with 95870							
95869	1441	"	"	Slide Block	...	...	...	...	...
978c	1356	"	"	"	"	Hinge Screw	...	...	...
95868	1440	"	"	Spring Washer	...	...	...	...	...
647d	1356	"	"	"	"	Screw	...	...	...
95870	1440	"	"	Stud	...	...	...	...	...
SS398c	1356	"	"	Regulating Thumb Screw	...	...	...	...	...
184c	1356	"	"	Stop Screw	...	...	...	...	...
91817	1439	Looper							
95943	-	"	91817 with 95871	...	...	...	...	...	...
95927	1439	Looper Column with 80036							
95928	1439	"	"	Hinged Needle Plate	...	...	...	...	...
91822	1439	"	"	"	"	"	Hinge Pin	...	...
80036	1439	"	"	Thread Guide Pin	...	...	...	...	...
95949	-	Looper Column , complete, Nos. 1448c, 91822, 95872, 95873, 95927, 95928, 95943, 95950 and 95951							
† 95950	1439	Looper Frame							
SS44c	1356	"	"	Binding Screw (long) (2)	...	...	...	...	...
158c	1356	"	"	"	"	"	(short) (2)	...	...
91824	1439	"	"	Pin (2)	...	...	...	...	...
95935	1437	Looper Pitman							
648c	1356	"	"	Hinge Screw (for 95932)	...	...	...	...	...
66c	1442	"	"	"	"	"	(for 95952)	...	...

No.	Plate								
95871	1439	Looper Spindle ...	...	...	...	...	...	...	...
95873	1440	"	"	Bush	...	...	...	...	...
1448c	1356	"	"	"	Set Screw	...	...	...	...
95872	1439	"	"	Collar with SS447c	...	...	...	...	...
SS447c	1356	"	"	"	Set Screw	...	...	...	...
95951	1442	"	"	Pinion with two 233c	...	...	...	...	...
95952	1442	"	"	"	Segment Gear	...	...	...	...
95953	1442	"	"	"	"	"	Stud	...	...
1448c	1356	"	"	"	"	"	"	Set Screw	...
233c	1356	"	"	"	Set Screw	...	...	...	...
*95949		Looper Thread Spool Holder Plate	...	...	...	...	...	...	...
95920	1441	"	"	"	"	"	Hinge Pin	...	...
*95936	-	"	"	"	"	"	Pin	...	...
95937	1437	Looper Thread Spool Holder , complete, Nos. 95949 and 95936							
95963	1443	Looper Thread Spool Holder Frame , for machine without Base							
95964		Looper Thread Spool Holder and Frame , complete, Nos. 95920, 95937, 95963 and two Wood Screws $\frac{1}{2}$ " No. 7							
		<i>NOTE No. 95964 is supplied when machine is ordered less Base No. 95924, and is charged extra.</i>							
95948		Machine Base ...	...	...	...	...	...	...	...
8294	1443	"	"	Hinge Connection	...	...	...	...	...
2809	1443	"	"	"	"	"	Hinge Pin	...	...
453c	1356	"	"	"	"	"	Set Screw	...	...
282d	1356	"	"	Thumb Screw	...	...	...	...	...
95924		Machine Base , complete, Nos. 282d, 95948, 95937, two each 453c, 2809 and 8294	...	...	...	...	...	...	...
95954	1442	Needle Bar ...	...	...	...	...	...	...	...
95884	1443	"	"	Connecting Link with 794c	...	...	...	...	...
794c	1356	"	"	"	"	"	Adjusting Screw	...	...
1330c	1357	"	"	"	"	"	Hinge Screw	...	...
95885	1443	"	"	"	Stud with 475c	...	...	...	...
475c	1356	"	"	"	"	"	Clamping Screw	...	...
95886	1441	"	"	Thread Nipper	...	...	...	...	...
SS83c	1356	"	"	"	"	"	Hinge Screw	...	...
95887	1444	"	"	"	"	"	Spring	...	...
208f	1356	"	"	"	"	"	Binding Screw	...	...
95955	1442	Needle Clamp with 552c	...	...	...	...	...	...	...
552c	1356	"	"	Thumb Screw	...	...	...	...	...
94840	1439	Needle Plate Latch with 286d	...	...	...	...	...	...	...
SS9d	1356	"	"	"	Hinge Screw	...	...	...	...
286d	1356	"	"	"	Thumb Screw	...	...	...	...

9/15

No.	Plate								
95956	1442	Presser Bar	...	...	...	...	...	...	...
95957	1442	" " Bushing	...	...	...	...	...	...	...
95958	1443	" " Guide Bracket with SS202c	...	...	...	...	...	...	...
SS202c	1356	" " " " Adjusting Screw	...	...	...	...	...	...	...
1155c	1356	" " " " Set Screw	...	...	...	...	...	...	...
95891	1438	Presser Bar Lifter	...	...	...	...	...	...	...
184c	1356	" " " Hinge Screw	...	...	...	...	...	...	...
95959	1442	" " Lifting Cam Lever with 175c	...	...	...	...	...	...	...
440c	1442	" " " " " Adjusting Screw	...	...	...	...	...	...	...
1700c	1442	" " " " " " Lock Nut	...	...	...	...	...	...	...
175c	1356	" " " " " Binding Screw	...	...	...	...	...	...	...
1830	1357	" " " " " Roller and Stud	...	...	...	...	...	...	...
1521c	1357	" " " " " " Lock Nut	...	...	...	...	...	...	...
95960	1442	" " " Lever	...	...	...	...	...	...	...
95895	1440	" " " " Hinge Pin	...	...	...	...	...	...	...
SS236c	1356	" " " " " " Set Screw (2)	...	...	...	...	...	...	...
95896	"	" " " " Slide Block	...	...	...	...	...	...	...
95904	1437	Presser Bar Pendulum Bracket	...	...	...	...	...	...	...
95906	1440	" " " " Feed Lever Stud	...	...	...	...	...	...	...
1155c	1356	" " " " " " Set Screw...	...	...	...	...	...	...	...
95938	1440	" " " " Hinge Stud	...	...	...	...	...	...	...
1396c	1357	" " " " " Clamping Screw	...	...	...	...	...	...	...
95892	1440	Presser Bar Spring	...	...	...	...	...	...	...
95893	1440	" " " Guide Wire	...	...	...	...	...	...	...
SS424d	1356	" " " Regulating Thumb Screw	...	...	...	...	...	...	...
95961	1442	Presser Foot (serrated teeth)	...	...	...	...	...	...	...
1904	1356	" " Screw	...	...	...	...	...	...	...
95913	1440	Seam Guide	...	...	...	...	...	...	...
64d	1356	" " Hinge Screw	...	...	...	...	...	...	...
91868	1440	" " " " Spring Washer	...	...	...	...	...	...	...
184d	1356	" " Stop Screw	...	...	...	...	...	...	...
<i>NOTE: -Seam Guide No. 95913 is only supplied with this machine when specified on order and at an extra charge.</i>									
2102	1441	Tension Disc	...	...	...	...	...	...	...
413c	1356	" Screw Stud	...	...	...	...	...	...	...
8238	1441	" Spring	...	...	...	...	...	...	...
1560d	1357	" " Regulating Thumb Nut	...	...	...	...	...	...	...
95914		Tension , complete, Nos. 413c, 1560d, 8238 and two 2102	...	...	...	...	...	...	...
95915	1440	Tension Thread Guide	...	...	...	...	...	...	...
SS236c	1356	" " " Set Screw	...	...	...	...	...	...	...

No.	Plate								
95916	1441	Thread Guide Bracket	...	...	...	...	...	...	...
207d	1356	" " " Screw	...	...	...	...	...	...	...
94879	1441	Thread Take-down	...	...	...	...	...	...	...
SS21d	1356	" " Hinge Screw	...	...	...	...	...	...	...
95917	1441	" " Spring	...	...	...	...	...	...	...
91881	1441	" " Stop Pin	...	...	...	...	...	...	...
175d	1356	" " " " Screw	...	...	...	...	...	...	...
32575	1441	Thread Take-up Spring	...	...	...	...	...	...	...
32576	1441	" " " Regulator	...	...	...	...	...	...	...
153c	1356	" " " " Set Screw	...	...	...	...	...	...	...

PARTS SPECIAL

TO

No. 91K4 MACHINE

Has Direct Gear Driven Looper Mechanism and Adjustable Top Feed ;
makes a Double Chain Stitch (Piqué) ; diameter of Post $\frac{5}{16}$ " ;
for Children's Gloves.

This Machine is the same as No. 91K3 with the following exceptions :

No.	Plate				
95876	1439	Looper Column with 80036	...	...	...
95877	1439	" " Hinged Needle Plate	...	...	...
95962		Looper Column, complete, Nos. 1448, 91822, 95872, 95873, 95876, 95877, 95943, 95950 and 95951	...	...	...

Accessories

No.	Plate						
-		Instruction Book	...	...	...	...	...
16-1		Needles (two each sizes 7, 8 and 9)	...	...	...	...	...
36569	1355	Oiler	...	...	...	...	...
25537	1355	Screw Driver	...	...	...	...	...
86105	1355	Tweezers	...	...	...	...	...
		Wood Screws 14" - 1" (2)	...	...	...	...	...