


SINGER

95K10,K11


Illustrated List of Parts



FOR



Nos. 95K10 and 95K11
Machines







The Singer Manufacturing Company













































24108







24079





















52443




52121




52090




40264



40274




40395



52073



40392



40409




40394



2974



2975



12403



29599



1813



16532



26276



7298



2532



56106



56100




56107




56099




52074




52060




56101



56013



52454



52084



56015



54897



25446







52053







56086











CONTENTS.

	Page
Parts, complete, for 95K10 Machine	57
Parts, special to 95K11 Machine	65
Accessories	66
Attachments	67
Bobbin Winders	76
Iron Base	66
Knee Lifter	78
Numerical List of Parts	81
Spool Holder	66
Thread Unwinder	79

Instructions for Ordering

In ordering from this List, the prefix and affix letters with the part number **MUST BE** quoted exactly as they are shown in the first column.

A number always indicates the same part in whatever List it may appear, or for whatever machine.

The prefix *SS* indicates Screws made only at Singer.

" "	<i>NN</i>	"	Nuts made only at Singer.
-----	-----------	---	---------------------------

n	n	RR	n	Rollers made only at Singer.
n	n	RR	n	Rollers and Studs made only at Singer.

The affix letters (where shown) indicate the style of finish, as follows:

- A. Hardened, Polished, Nickel Plated and Buffed.
- B. Polished, Nickel Plated and Buffed.
- C. Hardened only.
- D. Polished only.
- E. Soft, not Polished.
- F. Hardened and Polished.
- H. Blued.
- J. Nickel Plated only.
- K. Hardened and Nickel Plated.
- L. Brass Plated.
- M. Oxidized.
- N. Japanned, Dull.
- P. Japanned, Bright.
- R. Merlized.
- T. Copper Plated.
- T.A. Hardened, Polished, Copper and Nickel Plated and Buffed.
- T.B. Copper and Nickel Plated and Polished.
- T.J. Copper and Nickel Plated only.
- T.K. Hardened, Copper and Nickel Plated.
- T.L. Copper and Brass Plated.
- T.M. Copper Plated and Oxidized.
- U. Zinc Plated.
- V. Silver Plated.
- W. Polished and Nickel Plated.
- Y. Black Nickel Plated only.
- Z. Chromium Plated.
- Z.B. Polished, Nickel Plated, Buffed and Chromium Plated.
- Z.J. Nickel and Chromium Plated.

In this series

- 1 to 1500 and 50001 to 51500 are Screw Numbers.
1501 " 1800 are Nut Numbers.
1801 " 2000 are Roller Numbers.
2001 " 50000 are Numbers of Machine Parts, etc.
80001 " 100000 are Numbers of Machine Parts, etc., made only at Singer.
120001 " 190000 are Numbers of Machine Parts, etc.
190001 " 200000 are Numbers of Electrical Parts.
700001 and upwards are Numbers of Electrical Parts.

Parts marked with an asterisk (*) are furnished only when the repairs are made at Factory.

PARTS COMPLETE

FOR

No. 95K10 Machine

For Light and Medium Weight Fabrics, Maximum Stitch 7 to
the inch. Drop Feed.

NOTE. - Due to the accuracy required for Gear alignment, Arm cannot be supplied separately and can only be sent out as a unit, Arm and Bed assembled.

[illegible]



58

68350

9/34

3/34

NOTE:

*52064
NOTES

NOTE.—Due to the accuracy required for Gear alignment, Bed cannot be supplied separately and can only be sent out as a unit, Arm and Bed assembled.

NOTE.—No. 52005 is supplied with this machine unless otherwise specified on order.

59

10/33

“I

2/3 ✓ 10/13

" 10/13

NOTE. No. 52031 is sent with this machine unless another Feed Dog is specified on order.

52137	1770	Feed and Feed Lifting Eccentric with 448c and 1299c					...	...	...	...
1299c	1770	"	"	"	"	"	Position Screw	...	...	...
448c	1324	"	"	"	"	"	Set Screw	...	...	...
24036	1311	"	"	"	"	"	Sleeve	...	...	...
24037	1311	Feed Forked Connection					...	...	...	...
375c	1324	"	"	"	"	"	Hinge Screw	...	...	...
1518c	1325	"	"	"	"	"	" Nut	...	...	...

No.	Plate	
52036	971	Presser Foot (hinged), complete, Nos. 26276, 52034 and 52035, for 52031
62527	---	Presser Foot Hinge Pin
24544	---	" " Plate
24982	---	" " Shank
26231	1318	" " Spring
24983	---	Presser Foot (spring hinged), complete, Nos. 24544, 24982, 26231 and 62527 for 52031
190d	1324	Presser Foot Screw
<i>NOTE:--No. 24983 is sent with this machine unless another Presser Foot is specified on order.</i>		
688j	1324	Pressure Regulating Thumb Screw
52121	1322	Rotating Hook with three 1253c
52123	"	" " 52121, with 52090 and four 1053c
52089	"	" " 52123, " 40274 and three 1367d
52478	"	" " 52089, " 52474
40264	1322	" " Bobbin
52472	"	" " Case
52481	"	" " " " 52472, with 5914, 1380d and 40394
40392	1322	" " " " Latch
40409	1322	" " " " Lever
2974	1322	" " " " Eulerum Pin
2975	1322	" " " " Spring
592c	1324	" " " " Stop Screw
40393	"	" " " " Hinge , Nos. 2974, 40392 and 40409
591f	1324	" " " " Tension Regulating Screw
40394	1322	" " " " Spring
1380d	1325	" " " " Screw
52473	1770	" " " " complete , Nos. 592c, 2975, 40393 and 52481
52474	"	" " " " 52473, with 52477
52477	1770	" " " " Holder , with 52475 and two 52476
52018	1318	" " " " Position Bracket
704j	1324	" " " " Screw
*52475	---	" " " " Locating Plate
*52476	---	" " " " Rivet
40274	1322	" " Section
1367d	1325	" " Screw
1253c	1325	" " Set Screw
52070	1312	" " Shaft
56106	1323	" " " Bushing (back)
52045	1318	" " " " (") Packing (Cotton)
1143c	1325	" " " " (") Set Screw
56107	1323	" " " " (front)
52045	1318	" " " " (") Packing (Cotton)

No.	Plate	
1148c	1325	Rotating Hook Shaft Bushing (front) Set Screw
54897	1323	" " " Front Bearing Oil Cup
56013	1323	" " " Gear with two 1253c
52072	1313	" " " Case (two pieces) , with 121c and 50234d
50234d	1325	" " " " Plug Screw
121c	1324	" " " " Screw
1253c	1325	" " " " Set Screw
52090	1322	" " " Thread Guard
1053c	1325	" " " " Screw
52337	1316	Slack Thread Regulator
223c	1316	" " " Set Screw
2102	1318	Tension Disc
1560c	1325	" Regulating Thumb Nut
32572	1318	" Releasing Disc
43044	1316	" " Lever
12398	1316	" " " Hinge Pin
12329	1316	" " " Spring
32574	1318	" " Pin
13710	1318	" Spring
50304c	1318	" Stud
50305c	1325	" " Set Screw
52092		Tension , complete, Nos. 1560c, 13710, 32572, 32574, 50304c, 52082, 52083 and two 2102
52026	969	Thread Eyelet for 52013
52027	1318	Thread Guard (side of arm)
52454	1323	Thread Retainer
624c	1770	" " Set Screw
52021	969	Thread Take-up Crank
52143	"	" " " 52021 with 775c and 24894
1037c	969	" " " Position Screw
1036c	969	" " " Set Screw
52022	969	Thread Take-up Lever with 52130
52023	969	" " " Hinge Pin
52024	969	" " " Link
11204	969	" " " Hinge Pin
435c	1324	" " " " Set Screw
52130	---	" " " Thread Eyelet Bushing
52025		Thread Take-up Lever , complete, Nos. 52022 to 52024

No.	Plate
52082	1318 Thread Take-up Spring
52083	1318 " " Regulator with 50305c
448c	1324 " " Set Screw
52054	- - Thread Take-up, complete, Nos. 11201, 52025 and 52113
20139	966 Throat Plate, large needle hole, for 20138 and 20162
20140	- - - " " small " " " 20138 " 20162
20190	966 " " large " " " 12369 " 12457
20191	- - - " " small " " " 12369 " 12457
20135	966 Throat Plate, large needle hole, for 12450 and 20348
20136	" " small " " " 12450 " 20348
20124	964 " " large " " " 20117 " 20132
20125	- " " small " " " 20117 " 20132
20143	964 " " large " " " 20142
20144	- - - " " small " " " 20142
20148	964 " " large " " " 20147 and 44177
20149	" " small " " " 20147 " 44177
20152	965 " " large " " " 20151 " 44144
20153	" " small " " " 20151 " 44144
20160	965 " " large " " " 20159
20161	- " " small " " " 20159
20326	965 " " large " " " 20325
20327	- " " small " " " 20325
52032	- - - " " large " " " 52031
52033	967 " " small " " " 52031
691f	1324 " Screw ((2.))
<i>NOTE. 52033 is sent with this machine unless another Throat Plate is specified on order.</i>	
*15404	- Trade Mark
15405	- - " Rivet
24079	983 Drip Pan, with four Wood Screws, 1" No. 5

NOTE. 52033 is sent with this machine unless another Throat Plate is specified on order.

No. 95K11 Machine

Drop Feed ; For Collar and Cuff Work.

This Machine is the same as 95K10 with the following exceptions :

No.	Plate								
20163	968	Feed Dog,	$\frac{1}{16}$ " stitch	...	...	...	...	...	...
20164	968	" "	$\frac{1}{8}$ " " "	...	...	...	...	...	...

NOTE. - No. 20161 is sent with this machine unless other Feed Dog is specified on order.

21351	1770	Feed Regulator	Thumb Screw	Stop	...	...	...
25873	985	Guide	(combination)		...	...	...
284d	1770	"	Thumb Screw		...	...	...
3146	1770	"	"	" Washer	...	...	...

NOTE. No. 12435 is sent with this machine unless another Presser Foot is specified on order.

12462 1519 **Presser Foot**, $\frac{3}{16}$ " gauge and above
*NOTE. When ordering No. 12462 give width of turned edge
from seam.*

NOTE. When ordering No. 12462 give width of turned edge from seam.

12163	1519	Presser Foot	with Strip Guide	...	...	...	...
12335	973	"	" (narrow)	...	...	...	...
20133		"	" Plate	...	...	...	...
19223		"	" Shank	...	...	...	...

20134 1519 **Presser Foot** (hinged), complete, for $\frac{3}{16}$ " gauge and above,
Nos. 19223, 20133 and 26276

NOTE. When ordering No. 20131 give width of turned edge from seam.

20155		Presser Foot Plate	...	...	...	...	...
20156		" " Shank	...	...	...	...	...
20157	973	Presser Foot (hinged), complete, Nos. 228d, 2532, 20155 and 20156	...	...	...	...	...

20343 973 **Presser Foot** with Guide on bottom to the right of Needle Hole

20360	Presser Foot Plate	...	...	...	...	...
19335	" " Shank	...	...	...	...	...

20361	1519	Presser Foot (hinged), plain bottom, complete, Nos. 19335,
		20360 and 26276

36574	1770	Presser Foot	...	...	...	...	...
36575	1770	"	"	36574, with 36576 and two 50202d	...	...	...
36576	1770	"	"	Finger Guard	...	...	...
50202d	1770	"	"	"	Screw	...	...

20123	968	Throat Plate for 20163 and 20164 ...	...	...	...
-------	-----	--------------------------------------	-----	-----	-----

IRON BASE

No.	Plate						
24106	980	Bed Frame Cushion (Felt)	...	...	...	...	...
158e	1324	" " " Screw	...	...	...	...	...
24107	980	" " Hinge Connection	...	...	...	...	...
9261	980	" " " " Pin	...	...	...	...	...
970d	980	" " Thumb Screw	...	...	...	...	...
24108	982	Bed Frame , with 970d, two each 9261, 24107, four each 158e, 24106 and six Wood Screws 1 1/4" No. 10	...	...	...	...	...

ACCESSORIES

No.	Plate						
40264	1322	Bobbin (5)	...	...	...	...	...
36569	1319	Oiler with 36571	...	...	...	...	...
36570	"	" 36569, filled with Oil	...	...	...	...	...
36571	1319	" Spout, 1 1/4" long	...	...	...	...	...
25537	1319	Screw Driver (large)	...	...	...	...	...
120378	1319	" " (small)	...	...	...	...	...

SPOOL HOLDER (Disc)

FOR 95K11 MACHINE

No.	Plate						
26763	200	Bracket with 219f and 2554 922 ^D	...	...	...	...	5/34
219f	1324	" Screw	...	...	...	...	
922 ^D 2554 1324		" Thumb Screw	...	...	...	...	5/34
19066	200	Spindle	...	...	...	...	
19067	200	" Thread Guiding Disc	...	...	...	...	
691f	1324	" " " " Screw	...	...	...	...	
26764	200	Spool Holder , complete, Nos. 691f, 19066, 19067 and 26763	...	...	...	...	

ATTACHMENTS

BINDERS

When ordering Binders send sample of the Binding and of the Material to be bound.

BINDER for Cap Peak Work

No.	Plate						
85678	559	Feed Dog	...	...	...	...	...
85459	559	Folder Base	...	...	...	...	...
85460	559	" (top)	...	...	...	...	...
207d	558	" (") Binding Screw	...	...	...	...	...
85461	...	" (bottom)	...	...	...	...	...
SS50d	186	" (") Binding Screw	...	...	...	...	...
85462	559	Folder Roller Guide , complete, Nos. 701d, 85463 and 85464	...	...	...	...	...
85463		" " " Bracket	...	...	...	...	...
85464		" " " Roller	...	...	...	...	...
701d	1324	" " " " Screw	...	...	...	...	...
SS50d	186	" " " Binding Screw	...	...	...	...	...
176d	559	" Screw (to fasten to machine)	...	...	...	...	...
85325	186	" " Washer	...	...	...	...	...
85458	559	Folder , complete, Nos. 85459 to 85462, two 207d and four SS50d	...	...	...	...	...
85679	559	Presser Foot	...	...	...	...	...
85680	559	Throat Plate	...	...	...	...	...
85681	559	Binder , complete, Nos. 85458, 85678 to 85680, two each 176d and 85325	...	...	...	...	...

BINDER for Cardigan Jackets

No.	Plate						
85682	558	Feed Dog	...	...	...	...	...
85336		Folder Base	...	...	...	...	...
85337		" Folding Plate (top)	...	...	...	...	...
85338		" " " (bottom)	...	...	...	...	...
233d	1324	" " " Screw for 85337 and 85338	...	...	...	...	...
SS50d	186	" Screw	...	...	...	...	...
85325	186	" " Washer	...	...	...	...	...
85335		" complete, Nos. 85336 to 85338, and four 233d	...	...	...	...	...

No.	Plate						
85683	558	Presser Foot	...	...	...	...	...
85324		Tape Tension Pin (bent)	...	...	...	...	...
85323		" " " (straight)	...	...	...	...	...
85340		" " Plate	...	...	...	...	...
85339	558	" " complete, Nos. 85324, 85340 and four 85323	...	...	...	...	...
207d	558	" " Screw	...	...	...	...	...
85325	186	" " " Washer	...	...	...	...	...
85684	558	Throat Plate	...	...	...	...	...
85685	558	Binder , complete, Nos. SS50d, 207d, 85335, 85339, 85682 to 85684 and two 85325	...	...	...	...	...

BINDER, $\frac{1}{2}$ ", for General Work

No.	Plate						
85686	558	Feed Dog	...	...	...	...	...
85320	558	Folder	...	...	...	...	...
SS50d	186	" Screw	...	...	...	...	...
85325	186	" " Washer	...	...	...	...	...
85687		Presser Foot Bracket	...	...	...	...	...
85688		" " " Hinge Pin	...	...	...	...	...
85689		" " Sole	...	...	...	...	...
85690	558	" " (hinged), complete, Nos. 85687 to 85689	...	...	...	...	...
85324		Tape Tension Pin (bent)	...	...	...	...	...
85323		" " " (straight)	...	...	...	...	...
85322		" " Plate	...	...	...	...	...
85321	557	" " complete, Nos. 85322, 85324 and eight 85323	...	...	...	...	...
SS50d	186	" " Screw	...	...	...	...	...
85325	186	" " " Washer	...	...	...	...	...
85691	558	Throat Plate	...	...	...	...	...
85692	558	Binder , complete, Nos. 85320, 85321, 85686, 85690, 85691, two each SS50d and 85325	...	...	...	...	...

BINDER, $\frac{1}{2}$ ", for Stay Work

No.	Plate						
85693	557	Feed Dog	...	...	...	...	...
85614	...	Folder	...	...	...	...	...
SS65d	1324	" Screw	...	...	...	...	...
85694	...	Presser Foot Bracket	...	...	...	...	...
85616	...	" " " Hinge Pin	...	...	...	...	...
85695	...	" " Sole	...	...	...	...	...
85696	557	" " (hinged), complete, Nos. 85616, 85694 and 85695	...	...	...	...	...
85324	...	Tape Tension Pin (bent)	...	...	...	...	...
85323	...	" " " (straight)	...	...	...	...	...
85322	...	" " Plate	...	...	...	...	...
85321	557	" " complete, Nos. 85322, 85324 and eight 85323	...	...	...	...	...
SS50d	186	" " Screw	...	...	...	...	...
85325	186	" " " Washer	...	...	...	...	...
85697	557	Throat Plate	...	...	...	...	...
85698	557	Binder , complete, Nos. SS50d, SS65d, 85321, 85325, 85614, 85693, 85696 and 85697	...	...	...	...	...

BINDER, $\frac{1}{2}$ ", for Stay Work

No.	Plate						
85699	186	Base	...	...	...	...	...
85597	186	Binder	...	...	...	...	...
85324		Tape Tension Pin (bent)	...	...	...	...	...
85323		" " " (straight)	...	...	...	...	...
85700	186	Binder and Tension only, complete, Nos. 85324, 85597, 85699 and nine 85323	...	...	...	...	...
SS50d	186	" Screw	...	...	...	...	...
85325	186	" " Washer	...	...	...	...	...
85701	186	Feed Dog	...	...	...	...	...
85702	...	Presser Foot Bracket	...	...	...	...	...
85703	...	" " " Hinge Pin	...	...	...	...	...
85704	...	" " Sole	...	...	...	...	...
85705	186	" " (hinged), complete, Nos. 85702 to 85704	...	...	...	...	...
85706	186	Throat Plate	...	...	...	...	...
85707	186	Binder , complete, Nos. SS50d, 85325, 85700, 85701, 85705 and 85706	...	...	...	...	...

BINDER, FOLDER and TENSION, $\frac{9}{16}$ ", for Stay Work

[illegible]

BRAIDER FOOT (Long Shank, Adjustable)

No.	Plate								
86179	---	Braider Foot	...	...	...	...	...	...	...
86176	---	" "	Guide (Wire)		...	...	...	...	...
SS182d	1324	" "	" Screw		...	...	...	...	...
86180	560	Braider Foot , complete, Nos. 86179, two each SS182d and 86176							
86178	560	Braider Foot	...	...	...	...	...	...	...

CORDERS

When ordering state Size or No. of Cords to the inch.

CORDER (adjustable), for Fine Cording

No.	Plate								
85842	560	Base	...	...	...	...	...	...	...
85843	560	Finger Arm	...	...	...	...	...	...	...
85844	560	"	"	Adjustable Bracket	...	...	...	...	...
85845	...	"	"	"	"	Block	...	...	...
393c	1324	"	"	"	"	"	Screw	...	...
316e	1324	"	"	"	"	"	Centre Screw	...	...
1547d	1325	"	"	"	"	"	" Nut	...	...
NN41d	1325	"	"	"	"	"	Thumb Nut	...	...
50053 85842	1324	"	"	"	"	"	Set Screw	...	...
85846	560	Corder only, complete, Nos. NN41d, 85842 , 393c, 85842 to 85845,				...	...	...	...
		two each 316e and 1547d				...	...	...	...
85864	560	Feed Dog	...	...	...	...	...	...	...
85865	560	Presser Foot	...	...	...	...	...	...	...
85866	560	Throat Plate	...	...	...	...	...	...	...
85867	560	Corder, complete, Nos. SS50d, 85846 and 85864 to 85866				...	...	...	...
SS50d	186	Corder Screw (to fasten to machine)				...	...	...	...

CORDER (Bow), for Top Cording

No.	Plate							
85868	201	Corder Bow	...	...	...	...	...	...
85869	201	Presser Foot	...	...	...	...	...	...
759d	1324	" "	Thumb Screw	...	...	...	...	...
85870	201	Corder (Bow), complete, Nos. 759d, 85868 and 85869						...

CORDER for Top Cording

No.	Plate								
85783	---	Base	...	...	...	...	...	...	...
85871	---	Guide Finger with 85414, 85872 and two 85416	...	...	...	...	...	...	...
SS28b	1324	" " Adjusting Screw	...	...	...	...	...	...	...
85414	---	" " Eyelet	...	...	...	...	...	...	...
85413	---	" " Hinge Pin	...	...	...	...	...	...	...
879d	1325	" " Locking Thumb Screw	...	...	...	...	...	...	...
85872	---	" " Tip	...	...	...	...	...	...	...
85416	---	" " " Rivet	...	...	...	...	...	...	...
85873	200	Corder only, complete, Nos. SS28b, 879d, 85413, 85783 and 85871	...	...	...	...	...	...	...
85874	200	Presser Foot	...	...	...	...	...	...	...
85875	200	Corder, complete, Nos. SS44d, 85412, 85873 and 85874	...	...	...	...	...	...	...
SS44d	200	" Screw (to fasten to machine)	...	...	...	...	...	...	...
85412	200	" " Washer	...	...	...	...	...	...	...

CORDER GUIDE (Adjustable)

No.	Plate								
85382	---	Extension Guide	...	...	...	...	...	...	...
228d	1324	" " Screw	...	...	...	...	...	...	...
85876	---	Presser Foot	...	...	...	...	...	...	...
85877	560	Corder Guide, complete, Nos. 228d, 85382 and 85876	...	...	...	...	...	...	...
85881	562	Cording and Hemming Foot	...	...	...	...	...	...	...
86182	562	Cording Foot (grooved on right side)	...	...	...	...	...	...	...

CRIMPING SET

No.	Plate								
85882	557	Feed Dog	...	...	...	...	...	...	...
85883	---	Presser Foot	...	...	...	...	...	...	...
85391	---	" " Spring	...	...	...	...	...	...	...
219d	1324	" " " Screw	...	...	...	...	...	...	...
85884	557	" " complete, Nos. 219d, 85391 and 85883	...	...	...	...	...	...	...
85885	557	Throat Plate	...	...	...	...	...	...	...
85886	557	Crimping Set, complete, Nos. 85882, 85884 and 85885	...	...	...	...	...	...	...

FELLING FEET

No.	Plate								
85896	201	Felling Foot, $\frac{3}{16}$ " Fell	...	...	...	...	...	...	...
85897	562	" " (Steel), $\frac{3}{16}$ " Fell	...	...	...	...	...	...	...

FINGER GUARD

No.	Plate								
86417	1321	Finger Guard	...	...	...	...	...	...	...
102d	1324	" " Binding Screw	...	...	...	...	...	...	...
86478	1321	" " Bracket with 207f	...	...	...	...	...	...	...
207f	558	" " " Screw	...	...	...	...	...	...	...
86479	1321	Finger Guard, complete, Nos. 102d, 86417 and 86478	...	...	...	...	...	...	...

GATHERING FEET

No.	Plate								
85955	562	Gathering Foot	...	...	...	...	...	...	...
86193	560	" " (slotted)	...	...	...	...	...	...	...

HEMMERS

No.	Plate								
86005	88	Hemmer, $\frac{3}{16}$ " to $\frac{7}{8}$ " in grades of $\frac{1}{16}$ "	...	...	...	...	...	...	...
86008	88	" 1" to $1\frac{1}{4}$ " in grades of $\frac{1}{8}$ "	...	...	...	...	...	...	...
86010	88	" $1\frac{3}{8}$ " and $1\frac{1}{2}$ "	...	...	...	...	...	...	...
85447	88	" Base with SS54e	...	...	...	...	...	...	...
SS54e	1324	" " Stud Screw	...	...	...	...	...	...	...
NN40d	88	" " " " Thumb Nut	...	...	...	...	...	...	...
85448	88	" " " " " " Washer	...	...	...	...	...	...	...
85446	---	Hemmer Base, complete, Nos. NN40d, 85447 and 85448	...	...	...	...	...	...	...

Flat Sole

No.	Plate								
86537	---	$\frac{1}{16}$ "	...	...	...	...	...	...	...
86538	---	$\frac{3}{32}$ "	...	...	...	...	...	...	...
86539	1931	$\frac{1}{8}$ "	...	...	...	...	...	...	...
86540	---	$\frac{5}{32}$ "	...	...	...	...	...	...	...
86541	---	$\frac{3}{16}$ "	...	...	...	...	...	...	...
86542	---	$\frac{7}{32}$ "	...	...	...	...	...	...	...
86543	---	$\frac{1}{4}$ "	...	...	...	...	...	...	...

ATTACHMENTS

Flat Sole, with Groove

No.	Plate								
86544	---	$\frac{1}{16}$ "	...	...	...	...	...	...	...
86545	---	$\frac{3}{32}$ "	...	...	...	...	...	...	...
86546	1931	$\frac{1}{8}$ "	...	...	...	...	...	...	...
86547	---	$\frac{5}{32}$ "	...	...	...	...	...	...	...
86548	---	$\frac{3}{16}$ "	...	...	...	...	...	...	...
86549	---	$\frac{7}{32}$ "	...	...	...	...	...	...	...
86550	---	$\frac{1}{4}$ "	...	...	...	...	...	...	...
86025	562	Hemmer Foot, $\frac{1}{16}$ " to $\frac{3}{32}$ " hem, in grades of $\frac{1}{32}$ "							

PRESSER FOOT

No.	Plate								
86188	958	Presser Foot (narrow), for narrow tucking							

QUILTER

No.	Plate								
86041	958	Clamp with 207d							
207d	558	" Screw							
86042	958	Rod							
86043	958	Quilter, complete, Nos. 86041 and 86042							

TUCKERS (Long Arm)

No.	Plate									
36387	1315	Space Guide		...	...	...	...	...	...	
35510	1315	"	"	Base with 35512, 35514 and two 1426e				...	...	
402d	1317	"	"	"	Screw	...	...	...	...	
35511	1317	"	"	"	Indicator	...	...	...	...	
35512	1317	"	"	"	Pin	...	...	...	...	
35513	1317	"	"	"	Stop (left)	...	...	...	...	
35514	1317	"	"	"	(") Guide Pin	...	...	...	...	
1426e	1317	"	"	"	(") Screw Stud	...	...	...	...	
1657d	1317	"	"	"	(") Thumb Nut	...	...	...	...	
17718	1317	"	"	"	(") " " Washer	...	...	...	...	
35515	1317	"	"	"	(right)	...	...	...	...	
1426e	1317	"	"	"	(") Screw Stud	...	...	...	...	
1657d	1317	"	"	"	(") Thumb Nut	...	...	...	...	
17718	1317	"	"	"	(") " " Washer	...	...	...	...	
50053D	402d 1317	"	"	"	Thumb Screw	...	...	...	...	
36388	---	Space Guide, complete, Nos. 36387 35510, 35511, 35513, 35515, 36387, two each 1657d and 17718								...

ATTACHMENTS

No.	Plate								
35517	1309	Tuck Guide Arm							
1177d	1317	" " " Screw							
35518	1309	" " Base							
50134e	1317	" " " Screw Stud							
36389	1309	" " Bracket							
307c	1317	" " " Screw Centre							
1513j	1317	" " " " " Nut							
36390	1317	" " " Spring							
36391	1315	" " " " Plate							
9d	1317	" " " " Screw							
423c	1317	" " " Stop Screw							
1520r	1317	" " " " " Nut							
36392	1309	" " Frame							
6393	1317	" " " Spring							
1510e	1317	Tuck Guide Frame Spring Nut							
35524	1317	" " " " Washer							
803c	1317	" " " Stop Screw							
1520r	1317	" " " " " Nut							
35511	1317	" " Indicator							
35525	1309	" " Plate							
1115f	1317	" " Screw							
36394	---	Tuck Guide, complete, Nos. 9d, 423c, 803c, 1510e, 35511, 35517, 35518, 35524, 35525, 36389 to 36393, 50134e, two each 307c, 1115f, 1177d, 1513j, 1520r and three Wood Screws 1 $\frac{1}{4}$ " No. 10							
36395	-	Tucker (long arm), complete, Nos. 35528, 36388, 36394 and two 402d							
52031	967	Feed Dog for shirt work							
35528	1321	Presser Foot (wide) for 36395							
40322	1321	" " (narrow) for 36395							
36654	1321	" " for tucking shirt bosoms, for 36670							
52032		Throat Plate, large needle hole, for 52031							
52033	967	" " small " " " 52031							
36670	---	Tucker (long arm), complete, for tango tucking, Nos. 36388, 36394, 36654 and two 402d							

BOBBIN WINDERS

BOBBIN WINDER

(Swinging Automatic, Left Hand) for 40264

No.	Plate								
41913	1314	Bracket with 457c	...	...	...	...	...	...	...
41583	1314	Frame with 457c	...	...	...	...	...	...	...
34105	1314	" Hinge Pin	...	...	...	...	...	...	...
457c	1324	" " " Set Screw	...	...	...	...	...	...	...
41914	1314	" Spring	...	...	...	...	...	...	...
41585	1314	Pulley with 171d	...	...	...	...	...	...	...
171d	1324	" Set Screw	...	...	...	...	...	...	...
41586	1314	Spindle	...	...	...	...	...	...	...
41587	1314	Stop Latch	...	...	...	...	...	...	...
42614	1314	" " Hinge Stud	...	...	...	...	...	...	...
457c	1324	" " " " Set Screw	...	...	...	...	...	...	...
7958	1318	" " Stop Pin	...	...	...	...	...	...	...
41588	1314	" " Tripping Arm with 185h	...	...	...	...	...	...	...
185h	1324	" " " " Clamping Screw	...	...	...	...	...	...	...
60845	1314	Bobbin Winder , Nos. 7958, 34105, 41583, 41585 to 41588, 41913, 41914 and 42614	...	...	...	...	...	...	...
41915	---	Bobbin Winder , complete, Nos. 880e, 25446 and 60845	...	...	...	...	...	...	...
880e	1325	Bobbin Winder Screw	...	...	...	...	...	...	...
25446	1323	" " " Washer	...	...	...	...	...	...	...

BOBBIN WINDER

(Swinging Automatic, Right Hand) for use with Series 800, 900, 1700, 1900 and 2100 Motors.

No.	Plate								
41339	1687	Base	...	...	...	...	...	...	...
41340	1687	Frame	...	...	...	...	...	...	...
1429d	1688	" Hinge Screw	...	...	...	...	...	...	...
41341	1687	" Spring	...	...	...	...	...	...	...
207d	558	" " Screw	...	...	...	...	...	...	...
41342	1687	Pulley with 200f	...	...	...	...	...	...	...
200f	1688	" Set Screw	...	...	...	...	...	...	...
41343	1688	Spindle	...	...	...	...	...	...	...
27306	1688	Spool Pin	...	...	...	...	...	...	...
27307	1687	" Stand	...	...	...	...	...	...	...
†27308	1687	Spool Stand , complete, Nos. 418c, 1562j, 2106, 10141, 11241, 27306, 27307, two each 2455 and Wood Screws 1" No. 10	...	...	...	...	...	...	...
11241	1687	Spool Washer (Cloth)	...	...	...	...	...	...	...
41344	1688	Stop Latch	...	...	...	...	...	...	...
41345	1688	" " Finger	...	...	...	...	...	...	...
152f	1688	" " " Screw	...	...	...	...	...	...	...
1430d	1688	" " Hinge Screw	...	...	...	...	...	...	...
1550h	1688	" " " " Nut	...	...	...	...	...	...	...
41346	1688	" " Lever	...	...	...	...	...	...	...
1430d	1688	" " " Hinge Screw	...	...	...	...	...	...	...
2455	1688	Tension Disc	...	...	...	...	...	...	...
1562j	1688	" Regulating Thumb Nut	...	...	...	...	...	...	...
418c	1688	" Screw Stud	...	...	...	...	...	...	...
10141	1688	" Spring	...	...	...	...	...	...	...
2106	1688	" Thread Guide	...	...	...	...	...	...	...
9331	1688	Washer	...	...	...	...	...	...	...
60456	---	Bobbin Winder , Nos. 152f, 207d, 1429d, 1550h, 41339 to 41346 and three 1430d	...	...	...	...	...	...	...
41347	1687	Bobbin Winder , Nos. 60456, two each 9331 and Wood Screws 1" No. 10 R.H.B.	...	...	...	...	...	...	...
41348	---	Bobbin Winder (swinging automatic, right hand), complete, Nos. 27308 and 41347	...	...	...	...	...	...	...

† As No. 27307 can be supplied either Plated or Japanned, it is necessary, when ordering, to state what is required.

KNEE LIFTER

No.	Plate							
5596	1311	Bell Crank	...	...	...	...	...	...
5599	1311	" "	Bracket	...	...	...	...	...
178e	1324	" "	" Screw	...	...	...	...	...
5601	980	" "	Hinge Pin	...	...	...	...	...
5735	980	" "	Spring	...	...	...	...	...
56848	...	" "	5596 with 5599 and 5601	...	...	...	...	...
5598	1311	Bell Crank , complete, Nos. 5735 and 56848	...	...	...	...	...	...
16510	959	Lifting Lever with 448c	...	...	...	...	...	...
52028	1311	" "	Connecting Rod	...	...	...	...	...
12416	980	" "	" " Joint	...	...	...	...	...
76d	1324	" "	" " " Hinge Screw	...	...	...	...	...
1521e	1325	" "	" " " Lock Nut	...	...	...	...	...
802d	1325	" "	Hinge Screw	...	...	...	...	...
12241	980	" "	Link	...	...	...	...	...
766d	1324	" "	" Hinge Screw	...	...	...	...	...
12240	980	" "	Pin	...	...	...	...	...
448c	1324	" "	" Set Screw	...	...	...	...	...
2763	959	Rock Shaft	...	...	...	...	...	...
97502	959	" "	Bracket	...	...	...	...	...
...	...	" "	" Screw (Wood) 1" No. 10	...	...	...	...	...
2765	959	" "	Knee Arm	...	...	...	...	...
2766	959	" "	" " Hub with 356c	...	...	...	...	...
356c	1324	" "	" " " Set Screw	...	...	...	...	...
2768	...	" "	" " 2765 with 2766 and 2767	...	...	...	...	...
2767	959	" "	" Plate with 356c	...	...	...	...	...
356c	1324	" "	" " Set Screw	...	...	...	...	...
6337	959	" "	Lifting Bracket with two 356c	...	...	...	...	...
2778	959	" "	" " Hook	...	...	...	...	...
356c	1324	" "	" " " Set Screw	...	...	...	...	...
356c	1324	" "	" " " Set Screw	...	...	...	...	...
2770	959	" "	Stop Dog with 356c	...	...	...	...	...
356c	1324	" "	" " " Set Screw	...	...	...	...	...
84789	959	Rock Shaft , 2763, with 2768, 2770, 2778, 6337, two 97502 and four Wood Screws 1" No. 10	...	...	...	...	...	...
84769	—	Knee Lifter , complete, Nos. 76d, 766d, 802d, 1521e, 5598, 12240, 12241, 12416, 16510, 52028, 84789 and two 178c	...	...	...	...	...	...

THREAD UNWINDER

FOR TWO SPOOLS OF THREAD

No.	Plate							
225325	1621	Spool Rest with 201018c	...	...	...	...	...	...
225388	1621	" " Rod	...	...	...	...	...	...
200383c	1325	" " " Set Screw	...	...	...	...	...	...
201018c	-	" " Set Screw	...	...	...	...	...	...
202490	1621	" Stand with 200383c	...	...	...	...	...	...
225391	1621	Thread Guide	...	...	...	...	...	...
201696j	---	" " Lock Nut	...	...	...	...	...	...
225326	---	" " Position Cup	...	...	...	...	...	...
225324	1621	" " Rod with 208c and 225322	...	...	...	...	...	...
208c	-	" " " Screw	...	...	...	...	...	...
225322	-	" " " Washer	...	...	...	...	...	...
225396	1621	Thread Unwinder , complete, Nos. 201696j, 202490, 225324 to 225326, 225388, two 225391 and three Wood Screws $\frac{7}{8}$ " No. 12	...	...	...	...	...	...