


SINGER


99K29,K31



ILLUSTRATED
LIST OF PARTS
FOR
Nos. 99K29 to 99K31
Machines





No. 99K29 Machine


** A Trade Mark of
THE SINGER MANUFACTURING COMPANY









32672




94028



94048



94046



94036



94039




94029



94069




80028



94032



94044



55531



94038



94037



94033



94030




183




94040



SS599



SS600



SS566



399







SS565



SS567







SS 528




96425



96426



96844



96427



96845



WV95



44



138



175



191



203



216



226




307



691




905



1085



1132



1134




1216



1381



50046



50047



50684



51045



51224



1512



1513





























1520




1832









ILLUSTRATED
LIST OF PARTS
FOR
Nos. 99K26 to 99K28
Machines

CONTENTS

	Page
Attachments and Accessories	31
Bobbin Winder	30
Hand Attachment	34
Machine Parts	25
Numerical List of Parts	37

INSTRUCTIONS FOR ORDERING

In ordering from this List, the prefix and affix letters with the part number MUST BE quoted exactly as they are shown in the first column.

A number always indicates the same part in whatever List it may appear, or for whatever machine.

The affix letters (where shown) indicate the style of finish, as follows:—

- A. Hardened, Polished, Nickel Plated and Buffed.
- A.A. Buffed and Chromium Plated.
- A.B. Hardened, Polished, Buffed and Chromium Plated.
- A.C. Brown Baking Enamel Finish.
- A.D. Grey Baking Enamel Finish.
- A.E. Hardened, Bright Rumbled and Nickel Plated.
- A.F. Hardened, Bright Rumbled and Nickel Plated, Bright Rumbled and Chromium Plated.
- A.J. Polished, Nickel Plated and Chromium Plated.
- A.K. Hardened, Polished, Nickel Plated and Chromium Plated.
- A.L. Heat Treated for Toughness.
- A.L.D. Heat Treated for Toughness and Polished.
- A.L.X. Heat Treated for Toughness and Black Oxide.
- A.M. Beige Synthetic Enamel.
- A.N. Red Synthetic Enamel Finish.
- A.P. Blue Synthetic Enamel Finish.
- A.P.P. Grey Wrinkle Finish.
- A.R. Beige Wrinkle Finish.
- A.S. Black Moulded Phenolic.
- A.T. Beige Moulded Phenolic.
- A.U. Brown Moulded Phenolic.
- A.V. Black Synthetic Enamel.
- A.W. Hardened and Flame Coated with Tungsten Carbide.
- A.X. Grey Dipping Enamel.
- B. Polished, Nickel Plated and Buffed.
- C. Hardened only.
- C.R. Hardened and Phosphoric Treated.
- D. Polished only.
- E. Soft, not Polished.
- F. Hardened and Polished.
- F.J. Hardened, Polished and Nickel Plated.
- G. Bright Rumbled and Nickel Plated.
- H. Blued.
- J. Nickel Plated only.
- K. Hardened and Nickel Plated.
- L. Brass Plated.
- M. Oxidized.
- N. Japanned, Dull.
- P. Japanned, Bright.
- P.P. Wrinkle Finish.
- R. Phosphoric Treated.
- S. Cadmium Plated.
- T. Copper Plated.
- T.A. Hardened, Polished, Copper and Nickel Plated and Buffed.
- T.B. Copper and Nickel Plated and Polished.
- T.J. Copper and Nickel Plated only.
- T.K. Hardened, Copper and Nickel Plated.
- T.L. Copper and Brass Plated.
- T.M. Copper Plated and Oxidized.
- U. Zinc Plated.
- V. Silver Plated.
- W. Polished and Nickel Plated.
- X. Black Oxide for Iron and Steel.
- X.C. Hardened and Black Oxide for Iron and Steel.
- Y. Black Nickel Plated only.
- Z. Chromium Plated.
- Z.A. Hardened, Polished, Nickel Plated, Buffed and Chromium Plated.
- Z.B. Polished, Nickel Plated, Buffed and Chromium Plated.
- Z.C. Hardened and Chromium Plated.
- Z.D. Polished and Chromium Plated.
- Z.G. Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated.
- Z.J. Nickel and Chromium Plated.
- Z.T. Copper and Chromium Plated.

Parts marked with an asterisk(*) are furnished only when the repairs are made at Factory.

PARTS COMPLETE FOR CLASS 99K MACHINES

(Nos. 99K29 to 99K31)

Lock Stitch ; Horizontal Oscillating Hook ; Stationary Bobbin Case ;

Link Take-up ; Reversible Drop Feed ; for Family Use

No.	Plate								
*33692		Arm with 118za and 32503	...	...	...	...	...	...	...
2002	2396	" Dowel Pin (2)	...	...	...	...	...	...	...
1389	2396	" " " (for repairs only)	...	...	...	...	...	...	...
33602r	892	" Rock Shaft with 905e	...	...	...	...	...	...	...
33661		" " " 33602r with 1216c and 1520j	...	...	...	...	...	...	...
905e	2400	" " " Adjusting Screw	...	...	...	...	...	...	...
50016c	2400	" " " Screw Centre (lower)	...	...	...	...	...	...	...
33666		" " " " " (") 50016c with 1512r	...	...	...	...	...	...	...
1512r	2400	" " " " " (") Nut	...	...	...	...	...	...	...
50017c	2400	" " " " " (upper)	...	...	...	...	...	...	...
138e	2400	" Screw (3)	...	...	...	...	...	...	...
33603	892	" Shaft	...	...	...	...	...	...	...
33662		" " 33603 with 32503 and 33615	...	...	...	...	...	...	...
32503	2396	" " Bushing	...	...	...	...	...	...	...
118za	2396	" " " Set Screw	...	...	...	...	...	...	...
2007zb	895	" Spool Pin	...	...	...	...	...	...	...
*33681p		Bed	...	...	...	...	...	...	...
256zb	2393	Clamp Stop Motion Clamp Screw	...	...	...	...	...	...	...
248za	2393	" " " " Stop Screw	...	...	...	...	...	...	...
2020	2393	" " " " Washer	...	...	...	...	...	...	...
32618	2393	" " " " Flanged Bushing	...	...	...	...	...	...	...
1148al	2393	" " " " Set Screw	...	...	...	...	...	...	...
32619zb		Clamp Stop Motion, complete, Nos. 248za, 256zb, 1148al, 2020 and 32618	...	...	...	...	...	...	...
*33663zb		Face Plate	...	...	...	...	...	...	...
33654zb	892	" " 33663zb with 125423zb	...	...	...	...	...	...	...
203zb	2400	" " Screw	...	...	...	...	...	...	...
125422zb	2396	" " Thread Guard	...	...	...	...	...	...	...
125423zb	2396	" " " 125422zb with 125421zb	...	...	...	...	...	...	...
125424zb	2396	" " " Rivet	...	...	...	...	...	...	...
50684zb	2400	" " Thumb Screw	...	...	...	...	...	...	...

No.	Plate							
32520	2394	Oscillating Hook	...	...	...	...	...	...
32626	"	"	32520 with 32599	...	...	...	...	...
32656	2394	"	Bell Crank	...	...	...	...	...
50561c	2394	"	"	Hinge Screw	...	...	...	...
32522	2394	"	Bobbin	...	...	...	...	...
32590	2394	"	"	Case with 1172f, 1173d and 32567	...	...	...	...
32661	2394	"	"	Cushion Spring	...	...	...	...
662j	2394	"	"	"	"	"	Screw	...
32659	2394	"	"	"	Position Bracket	...	...	...
32662	2394	"	"	"	"	"	Hinge Stud	...
50611j	2394	"	"	"	"	"	"	Set Screw
32663	2394	"	"	"	"	"	Latch	...
50579j	2394	"	"	"	"	"	"	Screw
32598	2394	"	"	"	"	"	Oil Pad (left)	...
32599	2394	"	"	"	"	"	"	Holder
32660		Oscillating Hook Bobbin Case Position Bracket, complete,	Nos. 662j, 32528, 32598, 32599, 32659, 32661 to 32664, 50579j and 50580e	...	...	...	...	...
1172f	2394	Oscillating Hook Bobbin Case Tension Regulating Screw	...	...	...	...	...	...
32567	2394	"	"	"	"	"	Spring	...
1173d	2394	"	"	"	"	"	"	Screw
32664	2394	"	"	Ejector	...	...	...	...
50580e	2394	"	"	"	Hinge Screw Stud	...	...	...
32528	2394	"	"	"	Spring	...	...	...
32529r	895	"	"	Connecting Link	...	...	...	...
1132c	2400	"	"	"	Hinge Screw	...	...	...
32594r	2394	"	"	Crank with 1485r	...	...	...	...
1485r	2394	"	"	"	Clamping Screw	...	...	...
33618r	892	"	"	Pitman with two 175r	...	...	...	...
175r	2400	"	"	"	Adjusting Screw	...	...	...
41c	2400	"	"	"	Screw Stud (left)	...	...	...
1216c	2400	"	"	"	"	(right)	...	...
216c	2400	"	"	"	"	(") Cap Screw	...	...
1520j	2400	"	"	"	"	(") Nut	...	...
32569zb	895	"	"	Slide	...	...	...	...
32570	895	"	"	"	Friction Spring	...	...	...
226j	2400	"	"	"	"	"	Screw	...
33619	895	Presser Bar (hollow)	...	...	...	...	...	...
33620za	895	"	"	Lifter	...	...	...	...
33621	2396	"	"	"	Hinge Pin	...	...	...
33667e	2718	"	"	Lifting Bracket with 50052c	...	...	...	...
33669e	"	"	"	"	33667e with 33676zb	...	...	...
33677	"	"	"	"	33669e with 240e, 33674 and 33675	...	...	...
50052c	2393	"	"	"	"	Clamping Screw	...	...
33623	2396	"	"	Spring	...	...	...	...
33672	"	"	"	33623 with 33624	...	...	...	...

99K MACHINE PARTS

No.	Plate								
45329zb	—	Presser Foot Hinge Pin	...	...	...	...	...	...	...
32772zb	—	" " Plate	...	...	...	...	...	...	...
32774zb	—	" " Shank	...	...	...	...	...	...	...
32773zb	2718	Presser Foot (hinged), complete, Nos. 32772zb, 32774zb and 45329zb	...	...	...	...	...	...	...
51224b	2400	" " Thumb Screw	...	...	...	...	...	...	...
50054zb	2396	Pressure Regulating Thumb Screw	...	...	...	...	...	...	...
33624	2396	" " " " Extension Pin	...	...	...	...	...	...	...
33676zb	2393	Slack Thread Regulator	...	...	...	...	...	...	...
33698	2718	Stitch Indicator	...	...	...	...	...	...	...
33699	2718	" " Plate	...	...	...	...	...	...	...
51384e	2718	" " " Screw (2)	...	...	...	...	...	...	...
33700	2718	" " " Spring	...	...	...	...	...	...	...
2102	2718	Tension Disc	...	...	...	...	...	...	...
45866	2718	" " Indicator	...	...	...	...	...	...	...
45864	2718	" " " Flange	...	...	...	...	...	...	...
45865	2718	" " " Stop Washer	...	...	...	...	...	...	...
51681zb	2718	" " " Regulating Thumb Nut	...	...	...	...	...	...	...
33659	2718	" " " Releasing Lever	...	...	...	...	...	...	...
33671	2718	" " " " Hinge Pin	...	...	...	...	...	...	...
33660	2718	" " " " Spring	...	...	...	...	...	...	...
32574	2718	" " " " Pin	...	...	...	...	...	...	...
45869	2718	" " " Spring	...	...	...	...	...	...	...
140167zb	2718	" " Stud	...	...	...	...	...	...	...
45870	—	" " " 140167zb with 51681zb	...	...	...	...	...	...	...
50305e	2718	" " " Set Screw	...	...	...	...	...	...	...
32757	—	Tension (graduated), complete, Nos. 32574, 32758, 32759, 45864 to 45866, 45869, 45870 and two 2102	...	...	...	...	...	...	...
26075e	2393	Thread Cutter and Holder	...	...	...	...	...	...	...
33632zb	2393	Thread Guard (front of arm)	...	...	...	...	...	...	...
237zb	2393	" " (" " ") Set Screw	...	...	...	...	...	...	...
8422zb	2393	" " " (head of arm)	...	...	...	...	...	...	...
33634	2718	" " Take-up Crank	...	...	...	...	...	...	...
1036al	2718	" " " " Set Screw	...	...	...	...	...	...	...
33635za	895	" " " Lever	...	...	...	...	...	...	...
33636za	—	" " " complete, Nos. 33635za, 33637 and 33638	...	...	...	...	...	...	...
33679za	—	" " " 33636za with 33634, 33678, 50056e and 50057e	...	...	...	...	...	...	...
50056e	2718	" " " Cap Screw	...	...	...	...	...	...	...
33637	2718	" " " Hinge Stud	...	...	...	...	...	...	...
624al	2718	" " " " " Set Screw	...	...	...	...	...	...	...

99K MACHINE PARTS

No.	Plate								
33638	2718	Thread Take up Lever Link	...	...	...	...	...	...	...
50057e	2718	" " " " Hinge Screw	...	...	...	...	...	...	...
32758	2718	" " " Spring	...	...	...	...	...	...	...
32759	2718	" " " Regulator with 50305e	...	...	...	...	...	...	...
453al	2718	" " " " Set Screw	...	...	...	...	...	...	...
32602za	895	Throat Plate for 32600	...	...	...	...	...	...	...
691za	2400	" " " Screw (2)	...	...	...	...	...	...	...
33674	2394	Timing Gauge (for setting the height of needle Bar and timing the Oscillating Hook)	...	...	...	...	...	...	...
240e	2394	" " " Screw	...	...	...	...	...	...	...
33675	2394	" " " Washer	...	...	...	...	...	...	...
94013	—	Drip Pan (for Machine on Cover Set)	...	...	...	...	...	...	...

Bobbin Winder (Universal)

No.	Plate
33689	2646 Bracket (belt cover)
180zb	2646 " Screw
66670	2646 Frame
45297	" 66670 with 15288 and 66671
51319zb	2646 " Hinge Screw
66601	2646 " Spring
15287	2646 Friction Ring (rubber)
15288	2646 Pulley
66671	2646 Spindle... .. .
45268	2646 Stop Latch
51303zb	2646 " " Hinge Screw
125462	2646 " " Spring
125326	2646 Tripping Arm
190zb	2646 " " Screw
33690	2646 Bobbin Winder, complete, Nos. 190zb, 15287, 33689, 45268, 45297, 51303zb, 51319zb, 66601, 125326 and 125462
33691	2646 Thread Guide
208zb	2646 " " Screw
-7071-	2646 " " Washer

Attachments

ATTACHMENT SET

(Supplied with Machine)

No.	Plate								
121464	2574	Binder ...	...	...	...	...	...	...	...
36865	2574	Edge Stitcher ...	...	...	...	...	...	...	...
121441	2574	Gathering Foot (double toe)	...	...	...	...	...	...	...
35931	2574	Hemmer (adjustable)	...	...	...	...	...	...	...
15 x 1		Needles (6)	...	...	...	...	...	...	...
86612	2574	Ruffler	...	...	...	...	...	...	...
25537	2574	Screw Driver (machine)	...	...	...	...	...	...	...
120378	2574	" " (bobbin case)	...	...	...	...	...	...	...
8879	2574	Spool Pin Washer (cloth)	...	...	...	...	...	...	...
160810		Set of Attachments, complete, Nos. 25537, 35931, 36865, 86612, 120378, 121441, 121464, two 8879 and six needles...	...	...	...	...	...	...	...
120842	2649	Hemmer (foot) $\frac{5}{64}$ " hem	...	...	...	...	...	...	...
32522	2394	Oscillating Hook Bobbin (4)	...	...	...	...	...	...	...
120861		Tin of Oil (3 oz.)	...	...	...	...	...	...	...

ATTACHMENTS WHICH MAY BE PURCHASED SEPARATELY

25525	2719	Bias Gauge	...	...	...	...	...	...
25527b	2719	Cloth Guide	...	...	...	...	...	...
50053b	2719	" " and Under Braider Thumb Screw					...	...
120687	2619	Imitation Hemstitching Attachment with Yielding Presser Plate						
35932	2719	Quilter	...	...	...	...	...	...
121170	909	Rutler Shirring Plate	...	...	...	...	...	...
25539	2719	Stiletto...	...	...	...	...	...	...
36583	1160	Tucker	...	...	...	...	...	...
121517	909	Under Braider	...	...	...	...	...	...

CORDING FEET

FOR STITCHING ON EDGE, INSERTING CORD AND SLIDE FASTENER WORK

No.	Plate						
160845	2749	Cording Foot (left toe)	...	...	...	...	...
160846	2749	" " (right toe)	...	...	...	...	...

PRESSER FOOT

FOR CORDING AND SLIDE FASTENER WORK

No.	Plate						
121875		Presser Foot	...	...	...	...	...
110317w	2719	" "	Adjusting Thumb Screw	...	...	...	...
121876		" "	Body	...	...	...	...
121877	2719	Presser Foot (adjustable) for sewing on the right or left side of the needle, complete, Nos. 121875, 121876 and 110317w					

NEEDLE THREADER

No.	Plate				
121632	—	Needle Threader (Universal)	...	...	...

DARNING AND EMBROIDERY

No.	Plate				
86493	1160	Darning Presser Needle Clamp with 140545k	...	...	...
86494	1160	" " " " Stripper Spring	...	...	...
86495	1160	" " " " " " Eyelet	...	...	...
140545k	1160	" " " " " " Thumb Screw	...	...	...
86496	1160	Darning Presser, complete, Nos. 86493 to 86495	...	...	...
121094	2649	Spring Darning Foot	...	...	...
85893	2649	Embroidery Foot	...	...	...
32622	2649	Feed Cover Plate	...	...	...

EMBROIDERY HOOPS (Plain)
(BIRCH)

No.	Plate				
87586		Round, $5\frac{5}{8}$ " diam. $\times$ $7\frac{m}{m}$ high	...	...	...
96416		" 7" " $\times$ $7\frac{m}{m}$ " "	...	...	...
87589	1221	" 8" " $\times$ $7\frac{m}{m}$ " "	...	...	...
87593		" 10" " $\times$ $\frac{7}{16}$ " " "	...	...	...
87595		" 12" " $\times$ $\frac{1}{2}$ " " "	...	...	...
96422	1221	Oval, $9" \times 4\frac{1}{2}" \times 7\frac{m}{m}$ high	...	...	...
87597	---	" $12" \times 5\frac{1}{2}" \times 7\frac{m}{m}$ " "	...	...	...

EMBROIDERY HOOPS (with Clamp)
(BIRCH)

No.	Plate				
96417		Round, $5\frac{5}{8}$ " diam. $\times$ $7\frac{m}{m}$ high, with SS528j, NN95j, two	96425		
		and four 96427			
96418		" 7" " $\times$ $7\frac{m}{m}$ " " SS528j, NN95j, two	96426		
		and four 96427			
96419		" 8" " $\times$ $7\frac{m}{m}$ " " SS528j, NN95j, two	96426		
		and four 96427			
96420		" 10" " $\times$ $\frac{7}{16}$ " " " SS528j, NN95j, two	96426		
		and four 96427			
96421		" 12" " $\times$ $\frac{1}{2}$ " " " SS528j, NN95j, two	96844		
		and four 96845			
96423		Oval, $9" \times 4\frac{1}{2}" \times 7\frac{m}{m}$ high, with SS528j, NN95j, 96425, 96426 and	four 96427		
96424		" $12" \times 5\frac{1}{2}" \times 7\frac{m}{m}$ " " SS528j, NN95j, 96425, 96426 and	four 96427		
96425	2399	Clamping Bracket for 96417, 96423 and 96424	...	...	...
96426	2399	" " " 96418 to 96420, 96423 and 96424	...	...	...
96844	2399	" " " 96421	...	...	...
96427	2399	" " " Rivet for 96417 to 96420, 96423 and 96424	...	...	...
96845	2399	" " " " 96421	...	...	...
SS528j	2399	" " " Screw	...	...	...
NN95j	2399	" " " Nut	...	...	...

HAND ATTACHMENT

(For 99K30 Machine)

No.	Plate								
94050	2284	Body	...	...	...	...	...	...	...
94027	2284	" Bracket	...	...	...	...	...	...	...
183c	2114	" " Screw	...	...	...	...	...	...	...
94028	2114	Crank Handle (wood)	...	...	...	...	...	...	...
94029b	2114	" " Spindle	...	...	...	...	...	...	...
94030b	2114	" " " Flange (loose)	...	...	...	...	...	...	...
94069	2114	" Hinge Pin	...	...	...	...	...	...	...
94031a	2284	" Lever	...	...	...	...	...	...	...
94032	2114	" " Lock Pin	...	...	...	...	...	...	...
94033b	2114	" " " " Head	...	...	...	...	...	...	...
55531	2114	" " " " Spring	...	...	...	...	...	...	...
94034b		" complete, Nos. 94028, 94029b, 94030b and 94031a	...	...	...	...	...	...	...
94046	2114	Driver	...	...	...	...	...	...	...
94070		" 94046 with 80028 and 94048	...	...	...	...	...	...	...
94036	2114	" Finger	...	...	...	...	...	...	...
94039	2114	" " Driving Pad (raw-hide)	...	...	...	...	...	...	...
94040	2114	" " " " Plate	...	...	...	...	...	...	...
SS567e	2114	" " " " and Plate Binding Screw	...	...	...	...	...	...	...
94041	...	" " 94036 with SS567e, 94039 and 94040	...	...	...	...	...	...	...
94044	2114	" " Hinge Pin	...	...	...	...	...	...	...
94037	2114	" " Latch	...	...	...	...	...	...	...
SS565e	2114	" " " Screw Stud	...	...	...	...	...	...	...
94038	2114	" " " Spring	...	...	...	...	...	...	...
94051b	2284	Gear with 55531, 94032 and 94033b	...	...	...	...	...	...	...
94016	2284	" Cover	...	...	...	...	...	...	...
399a	2114	" " Screw	...	...	...	...	...	...	...
SS599f	2114	" Screw Stud	...	...	...	...	...	...	...
94048	2114	Pinion	...	...	...	...	...	...	...
80028	2114	" Dowel Pin	...	...	...	...	...	...	...
SS600f	2114	" Screw Stud (eccentric)	...	...	...	...	...	...	...
94052b	2284	Hand Attachment, complete, Nos. SS565e, SS566e, SS599f, SS600f, 94016, 94027, 94034b, 94037, 94038, 94041, 94044, 94050, 94051b, 94069, 94070, two each 183c and 399a	...	...	...	...	...	...	...
SS566e	2114	Hand Attachment Screw	...	...	...	...	...	...	...