


SIRUBA®








銀箭牌工業用縫紉機
INDUSTRIAL SEWING MACHINE

F007J/ F007JD

零件圖 PARTS LIST



高林股份有限公司
KAULIN MFG. CO., LTD.








									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE
機 型	規 格	針 座	針 板	主 送 具	差 送 具	押 具	勾 針	上 叉	針 號
F007J-W121	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	MH41	UY128GAS #10
F007J-W121 /UTG(UTJ)	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	MH41	UY128GAS #10
F007J-U121	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	—	UY128GAS #10
F007J-U121 /UTH(UTK)	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	—	UY128GAS #10
F007J-W122	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	MH41	UY128GAS #10
F007J-W122 /UTG(UTJ)	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	MH41	UY128GAS #10
F007J-U122	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	—	UY128GAS #10
F007J-U122 /UTH(UTK)	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	—	UY128GAS #10

註：P2544-A/P2545-A 為固定式押具舌,亦可使用活動式押具舌 P2565-A 代替P2544-A/P2545-A









P2446-A/P2447-A 為固定式押具舌,亦可使用活動式押具舌 P2466-A 代替P2446-A/P2447-A

規格件表 CONVERSION CHART-2

2

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號
F007J-U122 /FP	232	M5232	E 1623	D 1206	H 1257	P4011-A	ME28P	—	TV*5 #14
F007J-W 123	240 248 356 364	M5240 M5248 M5356 M5364	E 1534 E 1535 E 1836 E 1837	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	MH41	UY128GAS #10
F007J-W 123 /UTG(UTJ)	240 248 356 364	M5240 M5248 M5356 M5364	E 1534 E 1535 E 1836 E 1837	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	MH41	UY128GAS #10
F007J-W 162	356 364	M5356 M5364	E 1846 E 1847	D 1207 D 1207	H 1259 H 1259	P2446-A P2447-A	ME28A	MH41	TV*5 #14~16
F007J-U 162	356 364	M5356 M5364	E 1846 E 1847	D 1207 D 1207	H 1259 H 1259	P2446-A P2447-A	ME28A	—	TV*5 #14~16
F007J-W162 UTG(UTJ)	356 364	M5356 M5364	E 1846 E 1847	D 1207 D 1207	H 1259 H 1259	P2446-A P2447-A	ME28A	MH41	TV*5 #14~16
F007J-U 162 /UTH(UTK)	356 364	M5356 M5364	E 1846 E 1847	D 1207 D 1207	H 1259 H 1259	P2446-A P2447-A	ME28A	—	TV*5 #14~16
F007J-W222 /FQ	232 240 248 356 364	M5232 M5240 M5248 M5356 M5364	E 3023 E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1261 H 1262 H 1262	P1813-A P1814-A P1815-A P2116-A P2117-A	ME28	MH41	UY128GAS #10
F007J-W222 /UTG(UTJ)/FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P1814-A P1815-A P2116-A P2117-A	ME28	MH41	UY128GAS #10
F007J-U 222 /UTH(UTK)/FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P1814-A P1815-A P2116-A P2117-A	ME28	MH41	UY128GAS #10

註：P2544-A/P2545-A 為固定式押具舌,亦可使用活動式押具舌 P2565-A 代替 P2544-A/P2545-A
P2446-A/P2447-A 為固定式押具舌,亦可使用活動式押具舌 P2466-A 代替 P2446-A/P2447-A

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE
機 型	規 格	針 座	針 板	主 送 具	差 送 具	押 具	勾 針	上 叉	針 號
F007J- W222 /FQ/FEC(FAC)	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P1814-A P1815-A P2116-A P2117-A	ME28	MH41	UY128GAS #10
F007J-U222 /FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P2314-A P2315-A P2616-A P2617-A	ME28	—	UY128GAS #10
F007J- W222A FQ/FEC(FAC)	240 248 356 364	M5240 M5248 M5356 M5364	E 3124 E 3125 E 3426 E 3427	D 1315 D 1315 D 1316 D 1316	H 1261 H 1261 H 1262 H 1262	P1914-A P1915-A P2216-A P2217-A	ME28	MH41	UY128GAS #10
F007J- W222 /FFD(FFP)	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P1814-A P1815-A P2116-A P2117-A	ME28	MH41	UY128GAS #10
F007J- U222 /FFD(FFP)	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P2314-A P2315-A P2616-A P2617-A	ME28	—	UY128GAS #10
F007J- W222 /FSM	240-4 248-4 364-4	M5240P M5248P M5364P	E 3724 E 3725 E 3727	D 1516	H 1262 H 1262 H 1262	P2714-A P2715-A P2717-A	ME28	MH41	UY128GAS #10
F007J- W322 /FDC	356 364	M5356 M5364	E 4826 E 4827	D 1207 D 1207	H 1359 H 1359	P2446-A P2447-A	ME28	MH41	UY128GAS #10
F007J- W322 /UTG(UTJ)/FDC	356 364	M5356 M5364	E 4826 E 4827	D 1207 D 1207	H 1359 H 1359	P2446-A P2447-A	ME28	MH41	UY128GAS #10
F007J- U322 /FDC	356 364	M5356 M5364	E 4826 E 4827	D 1207 D 1207	H 1359 H 1359	P2446-A P2447-A	ME28	—	UY128GAS #10

W222A-FAC(FEC) 短 切 刀









W222-FAC(FEC) 長 切 刀







註：P2544-A/P2545-A 為固定式押具舌,亦可使用活動式押具舌 P2565-A 代替 P2544-A/P2545-A

P2446-A/P2447-A 為固定式押具舌,亦可使用活動式押具舌 P2466-A 代替 P2446-A/P2447-A

規格件表 CONVERSION CHART-6

6










									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號
F007J- U613 /FBP	256	M5356	E 1836L	D 1207	H 1259	P 4000-A	ME28	—	TV*5 #14~18
	264	M5364	E 1837L	D 1207	H 1259	P 4001-A	ME28	—	
F007J- U712	264	M5264	E 5827	D 5207	H 5259	P 4117-A	ME28	—	TV*3 #11~16
F007J- U712 /FSP	264	M5264	E 5827	D 5207	H 5259	P5117-A (成品寬1.0mm用)	FS03/04	—	TV*3 #11~16
F007J- U712A /FSP	264	M5264	E 5827	D 5207	H 5259	P5118-A (成品寬1.2mm用)	FS03/04	—	TV*3 #11~16
F007J- U712 /FSR	264	M5264	E 5927	D 5307	H 5359	P 4217-A	FS03/04	—	TV*7 #12~14
F007J- W722 /FY	388	M4388	E 6828	D 6207	H 6259	P 6117-A	FS03/04/FY02	FY09	TV*7 #12
F007J- W922 /FW(FWP)	456 460 464	M5456 M5460 M5464	E1828P E1838P E1848P	D1207P	H1259	P2428Q-A P2438Q-A P2448Q-A	FW28D	MH41	SM1014B #10 (MY1014B #70 ,SY7256)
F007J- W922 /FW(FWP)/UTG	456 460 464	M5456 M5460 M5464	E1828P E1838P E1848P	D1207P	H1259	P2428Q-A P2438Q-A P2448Q-A	FW28D	MH41	SM1014B #10 (MY1014B #70 ,SY7256)
F007J- W922 /FW(FWP)/UTJ	456 460 464	M5456 M5460 M5464	E1828P E1838P E1848P	D1207P	H1259	P2428Q-A P2438Q-A P2448Q-A	FW28D	MH41	SM1014B #10 (MY1014B #70 ,SY7256)

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-W121	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	MH41	UY128GAS #10	T501HE
F007JD-W121 /UTG(UTJ)	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	MH41	UY128GAS #10	
F007JD-U121	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	—	UY128GAS #10	
F007JD-U121 /UTH(UTK)	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	—	UY128GAS #10	
F007JD-W122	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	MH41	UY128GAS #10	
F007JD-W122 /UTG(UTJ)	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	MH41	UY128GAS #10	
F007JD-U122	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	—	UY128GAS #10	
F007JD-U122 /UTH(UTK)	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544-A P2545-A P2446-A P2447-A	ME28	—	UY128GAS #10	










註：P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A

P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A

CONVERSION CHART-4

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號
F007J-U322 /UTH(UTK)/FDC	356 364	M5356 M5364	E 4826 E 4827	D1207 D1207	H1359 H1359	P2446-A P2447-A	ME28	—	UY128GAS #10
F007J-W322 /FDE	356 364	M5356 M5364	E 4836M E 4837M	D1207 D1207	H1459 H1459	P2446Q-A P2447Q-A	ME28	MH41	UY128GAS #10
F007J-W322 /UTG(UTJ)/FDE	356 364	M5356 M5364	E 4836M E 4837M	D1207 D1207	H1459 H1459	P2446Q-A P2447Q-A	ME28	MH41	UY128GAS #10
F007J-U322 /FDE	356 364	M5356 M5364	E 4836M E 4837M	D1207 D1207	H1459 H1459	P2446Q-A P2447Q-A	ME28	—	UY128GAS #10
F007J-U322 /UTH(UTK)/FDE	356 364	M5356 M5364	E 4836M E 4837M	D1207 D1207	H1459 H1459	P2446Q-A P2447Q-A	ME28	—	UY128GAS #10
F007J-W522 /FE(FFC)/FR	232 240 248 356 364	M5232 M5240 M5248 M5356 M5364	E 6023 E 6024 E 6025 E 6326 E 6327	D 2221 D 2221 D 2221 D 2222 D 2222	H 2267 H 2267 H 2267 H 2268 H 2268	P2813-A P2814-A P2815-A P3116-A P3117-A	ME28	MH41	UY128GAS #10
F007J-U522 /FE(FFC)/FR	240 248 356 364	M5240 M5248 M5356 M5364	E 6024 E 6025 E 6326 E 6327	D 2221 D 2221 D 2222 D 2222	H 2267 H 2267 H 2268 H 2268	P2814-A P2815-A P3116-A P3117-A	ME28	—	UY128GAS #10









註：F007J-W/U322A-³⁵⁶/₃₆₄ /FDC 時，該針板與送具改用 F007H-W/U122-³⁵⁶/₃₆₄ 之針板與送具
 註：P2544-A/P2545-A 為固定式押具舌，亦可使用活動式押具舌 P2565-A 代替 P2544-A/P2545-A
 P2446-A/P2447-A 為固定式押具舌，亦可使用活動式押具舌 P2466-A 代替 P2446-A/P2447-A

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE
機 型	規 格	針 座	針 板	主 送 具	差 送 具	押 具	勾 針	上 叉	針 號
F007J-W512 /FE(FFC)	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P 2914-A P 2915-A P 3216-A P 3217-A	ME28	MH41	UY128GAS #10
F007J-U512 /FE(FFC)	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P 3414-A P 3415-A P 3716-A P 3717-A	ME28	—	UY128GAS #10









註： F007J-W/U322A-³⁵⁶/₃₆₄ /FDC 時，該針板與送具改用 F007H-W/U122-³⁵⁶/₃₆₄ 之針板與送具

註： P2544-A/P2545-A 為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A
P2446-A/P2447-A 為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A

規格件表 CONVERSION CHART-8

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-U122/FP	232	M5232	E 1623	D1206	H1257	P4011-A	ME28P	—	TV*5 #14	☐ T501HE
F007JD-W123	240 248 356 364	M5240 M5248 M5356 M5364	E 1534 E1535 E 1836 E 1837	D1206 D1206 D1207 D1207	H1258 H1258 H1259 H1259	P2544-A P2545-A P2446-A P2447-A	ME28	MH41	UY128GAS #10	
F007JD-W123/UTG(UTJ)	240 248 356 364	M5240 M5248 M5356 M5364	E 1534 E1535 E 1836 E 1837	D1206 D1206 D1207 D1207	H1258 H1258 H1259 H1259	P2544-A P2545-A P2446-A P2447-A	ME28	MH41	UY128GAS #10	
F007JD-W162	356 364	M5356 M5364	E 1846 E 1847	D1207 D1207	H1259 H1259	P2446-A P2447-A	ME28A	MH41	TV*5 #14~16	
F007JD-U162	356 364	M5356 M5364	E 1846 E 1847	D1207 D1207	H1259 H1259	P2446-A P2447-A	ME28A	—	TV*5 #14~16	
F007JD-W162/UTG(UTJ)	356 364	M5356 M5364	E 1846 E 1847	D1207 D1207	H1259 H1259	P2446-A P2447-A	ME28A	MH41	TV*5 #14~16	
F007JD-U162/UTH(UTK)	356 364	M5356 M5364	E 1846 E 1847	D1207 D1207	H1259 H1259	P2446-A P2447-A	ME28A	—	TV*5 #14~16	
F007JD-W222/FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P1814-A P1815-A P2116-A P2117-A	ME28	MH41	UY128GAS #10	
F007JD-W222/UTG(UTJ)/FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P1814-A P1815-A P2116-A P2117-A	ME28	MH41	UY128GAS #10	
F007JD-U222/UTH(UTK)/FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P1814-A P1815-A P2116-A P2117-A	ME28	MH41	UY128GAS #10	

註：P2544-A/P2545-A 為固定式押具舌,亦可使用活動式押具舌 P2565-A 代替 P2544-A/P2545-A
P2446-A/P2447-A 為固定式押具舌,亦可使用活動式押具舌 P2466-A 代替 P2446-A/P2447-A

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-W222 /FQ/FEC(FAC)	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P1814-A P1815-A P2116-A P2117-A	ME28	MH41	UY128GAS #10	T501HE
F007JD-U222 /FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P2314-A P2315-A P2616-A P2617-A	ME28	—	UY128GAS #10	
F007JD-W222A FQ/FEC(FAC)	240 248 356 364	M5240 M5248 M5356 M5364	E 3124 E 3125 E 3426 E 3427	D 1315 D 1315 D 1316 D 1316	H 1261 H 1261 H 1262 H 1262	P1914-A P1915-A P2216-A P2217-A	ME28	MH41	UY128GAS #10	
F007JD-W222 /FFP	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P1814-A P1815-A P2116-A P2117-A	ME28	MH41	UY128GAS #10	
F007JD-U222 /FFP	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P2314-A P2315-A P2616-A P2617-A	ME28	—	UY128GAS #10	
F007JD-W322 /FDC	356 364	M5356 M5364	E 4826 E 4827	D 1207 D 1207	H 1359 H 1359	P2446-A P2447-A	ME28	MH41	UY128GAS #10	
F007JD-W322 /UTG(UTJ)/FDC	356 364	M5356 M5364	E 4826 E 4827	D 1207 D 1207	H 1359 H 1359	P2446-A P2447-A	ME28	MH41	UY128GAS #10	
F007JD-U322 /FDC	356 364	M5356 M5364	E 4826 E 4827	D 1207 D 1207	H 1359 H 1359	P2446-A P2447-A	ME28	—	UY128GAS #10	
F007JD-U322 /UTH(UTK)/FDC	356 364	M5356 M5364	E 4826 E 4827	D 1207 D 1207	H 1359 H 1359	P2446-A P2447-A	ME28	—	UY128GAS #10	









W222A-FAC(FEC) 短 切 刀

W222-FAC(FEC) 長 切 刀

註：P2544-A/P2545-A 為固定式押具舌,亦可使用活動式押具舌 P2565-A 代替 P2544-A/P2545-A











P2446-A/P2447-A 為固定式押具舌,亦可使用活動式押具舌 P2466-A 代替 P2446-A/P2447-A

規格件表 CONVERSION CHART-10

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主 送 具	差 送 具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-W 322 /FDE	356 364	M5356 M5364	E 4836M E 4837M	D 1207 D 1207	H 1459 H 1459	P2446Q-A P2447Q-A	ME28	MH41	UY128GAS #10	T501HE
F007JD-W 322 /UTG(UTJ)/FDE	356 364	M5356 M5364	E 4836M E 4837M	D 1207 D 1207	H 1459 H 1459	P2446Q-A P2447Q-A	ME28	MH41	UY128GAS #10	
F007JD-U 322 /FDE	356 364	M5356 M5364	E 4836M E 4837M	D 1207 D 1207	H 1459 H 1459	P2446Q-A P2447Q-A	ME28	—	UY128GAS #10	
F007JD-U 322 /UTH(UTK)/FDE	356 364	M5356 M5364	E 4836M E 4837M	D 1207 D 1207	H 1459 H 1459	P2446Q-A P2447Q-A	ME28	—	UY128GAS #10	
F007JD-W 522 /FE/FR	240 248 356 364	M5240 M5248 M5356 M5364	E 6024 E 6025 E 6326 E 6327	D 2221 D 2221 D 2222 D 2222	H 2267 H 2267 H 2268 H 2268	P2814-A P2815-A P3116-A P3117-A	ME28	MH41	UY128GAS #10	
F007JD-U 522 /FE/FR	240 248 356 364	M5240 M5248 M5356 M5364	E 6024 E 6025 E 6326 E 6327	D 2221 D 2221 D 2222 D 2222	H 2267 H 2267 H 2268 H 2268	P2814-A P2815-A P3116-A P3117-A	ME28	—	UY128GAS #10	
F007JD-W 512 /FE	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P 2914-A P 2915-A P 3216-A P 3217-A	ME28	MH41	UY128GAS #10	
F007JD-U 512 /FE	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P 3414-A P 3415-A P 3716-A P 3717-A	ME28	—	UY128GAS #10	


註： F007JD-W/U322A-³⁵⁶/₃₆₄ /FDC 時，該針板與送具改用 F007H-W/U122-³⁵⁶/₃₆₄ 之針板與送具

註： P2544-A/P2545-A 為固定式押具舌，亦可使用活動式押具舌 P2565-A 代替 P2544-A/P2545-A
P2446-A/P2447-A 為固定式押具舌，亦可使用活動式押具舌 P2466-A 代替 P2446-A/P2447-A

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-U613 /FBP	256	M5356	E 1836L	D1207	H1259	P4000-A	ME28	—	TV*5 #14~18	T501HE
	264	M5364	E 1837L	D1207	H1259	P4001-A	ME28	—		
F007JD-U712	264	M5264	E 5827	D5207	H5259	P4117-A	ME28	—	TV*3 #11~16	
F007JD-U712 /FSP	264	M5264	E 5827	D5207	H5259	P5117-A (成品寬10mm用)	FS03/04	—	TV*3 #11~16	
F007JD-U712A /FSP	264	M5264	E 5827	D5207	H5259	P5118-A (成品寬12mm用)	FS03/04	—	TV*3 #11~16	
F007JD-U712 /FSR	264	M5264	E 5927	D5307	H5359	P4217-A	FS03/04	—	TV*7 #12~14	
F007JD-W722 /FY	388	M4388	E 6828	D6207	H6259	P6117-A	FS03/04/FY02	FY09	TV*7 #12	
F007JD-W922 /FW(FWP)	456 460 464	M5456 M5460 M5464	E1828P E1838P E1848P	D1207P	H1259	P2428Q-A P2438Q-A P2448Q-A	FW28D	MH41	SM1014B #10 (MY1014B #70 ,SY7256)	
	456 460 464	M5456 M5460 M5464	E1828P E1838P E1848P	D1207P	H1259	P2428Q-A P2438Q-A P2448Q-A	FW28D	MH41	SM1014B #10 (MY1014B #70 ,SY7256)	
	456 460 464	M5456 M5460 M5464	E1828P E1838P E1848P	D1207P	H1259	P2428Q-A P2438Q-A P2448Q-A	FW28D	MH41	SM1014B #10 (MY1014B #70 ,SY7256)	


F007J: 為一般馬達,外置式機種 ; F007JD: 為加裝直驅伺服馬達機種

PARTS LIST FOR LSA GROUP




PARTS LIST FOR MA (1) GROUP


12



FOR F007J/F007JD
*USE FOR F007JD




PARTS LIST FOR MA (2) GROUP




PARTS LIST FOR MB GROUP

FOR F007J/F007JD □ FOR F007JD H牌馬達
 *USE FOR F007JD □ FOR F007JD P牌馬達

PARTS LIST FOR MC (1) GROUP




PARTS LIST FOR MC (2) GROUP




PARTS LIST FOR MF GROUP


PARTS LIST FOR MG GROUP




FOR F007J/F007JD
*USE FOR F007JD



FOR F007J/F007JD
* USE FOR F007JD



PARTS LIST FOR MJ GROUP






PARTS LIST FOR MH GROUP

PARTS LIST FOR MK (1) GROUP


PARTS LIST FOR MK (2) GROUP

18





PARTS LIST FOR ML GROUP





PARTS LIST FOR MN (1) GROUP


PARTS LIST FOR MN (2) GROUP

PARTS LIST FOR MY GROUP

20




FOR F007J/F007JD
*USE FOR F007JD



FOR F007J/F007JD
*USE FOR F007JD

PARTS LIST FOR MZ GROUP



PARTS LIST FOR THREAD STAND GROUP

college-sewing.co.uk



F007J/ F007JD

高林股份有限公司 KAULIN MFG. CO., LTD.

college-sewing.co.uk

The specification and/or appearances of the equipment described in this parts list are subject to change because of modification without previous notice.

MY33J, AUG. 2007