


SIRUBA®










銀箭牌工業用縫紉機
INDUSTRIAL SEWING MACHINE

C007J/ C007JD

零件圖 PARTS LIST











高林股份有限公司
KAULIN MFG. CO., LTD.

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J-W121 /CH	356 364	M5356 M5364	E 3816P E 3817P	D 4206 D 4207	H 4458 H 4459	P2446-A P2447-A	MH41	MT01	UY128GAS #10
C007J-U121 /CH	356 364	M5356 M5364	E 3816P E 3817P	D 4206 D 4207	H 4458 H 4459	P2446-A P2447-A	—	MT01	UY128GAS #10
C007J-W121 CH/UTP(UTR)	356 364	M5356 M5364	E 3816P E 3817P	D 4206 D 4207	H 4458 H 4459	P2446-A P2447-A	MH41	MT01	UY128GAS #10
C007J-U121 CH/UTQ(UTS)	356 364	M5356 M5364	E 3816P E 3817P	D 4206 D 4207	H 4458 H 4459	P2446-A P2447-A	—	MT01	UY128GAS #10
C007J-W122 /CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E3525P E 3826S E 3826P E 3827P	D 4206 D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4458 H 4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MH41	MT01	UY128GAS #10
C007J-U122 /CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E3525P E 3826S E 3826P E 3827P	D 4206 D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4458 H 4459	P2544-A P2545-A P2446-A P2446-A P2447-A	—	MT01	UY128GAS #10
C007J-W122 CH/UTP(UTR)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E3525P E 3826S E 3826P E 3827P	D 4206 D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4458 H 4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MH41	MT01	UY128GAS #10









註：P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A

P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A

規格件表 CONVERSION CHART-2

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J-U122 CH/UTQ(UTS)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E3524P E3525P E3826S E3826P E3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	—	MT01	UY128GAS #10
C007J-W122 /CHA	356	M5356	E3826Q	D4206	H4458	P0216-A	MH41	MT01	UY128GAS #10
C007J-U122 /CHA	356	M5356	E3826Q	D4206	H4458	P0416-A	—	MT01	UY128GAS #10
C007J-W123 /CH	240 248 356 364	M5240 M5248 M5356 M5364	E3534P E3535P E3836P E3837P	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41	MT01	UY128GAS #10
C007J-U123 /CH	240 248 356 364	M5240 M5248 M5356 M5364	E3534P E3535P E3836P E3837P	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	—	MT01	UY128GAS #10
C007J-W132 /CHE	240 248 356 364	M5240 M5248 M5356 M5364	E2324P E2325P E2326P E2327P	D2109 D2109 D2110 D2110	H2219 H2219 H2220 H2220	P2904-A P2905-A P2906-A P2907-A	MH41	MT01	UY128GAS #10
C007J-W132 CHE/UTP(UTR)	356 364	M5356 M5364	E2326P E2327P	D2110	H2220	P2906-A P2907-A	MH41	MT01	UY128GAS #10









註：P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A
P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J- W152 /CZ/UTP/RLQ	356 364	M5356 M5364	E 4326P E4327P	D3216 D3217	H3262 H3263	P2416-A P2417-A	MH41	MT01	UY128GAS #10
C007J- U152 /CZ/UTQ/RLQ	356 364	M5356 M5364	E 4326P E4327P	D3216 D3217	H3262 H3263	P2416-A P2417-A	—	MT01	UY128GAS #10
C007J- W152 /CZ/CLA/UTP/RLQ	356 364	M5356 M5364	E 4326P E4327P	D3216 D3217	H3262 H3263	P2416-A P2417-A	MH41	MT01	UY128GAS #10
C007J-U152 /CZ/CLA/UTQ/RLQ	356 364	M5356 M5364	E 4326P E4327P	D3216 D3217	H3262 H3263	P2416-A P2417-A	—	MT01	UY128GAS #10
C007J- W162	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41	MT01A	TV*5 #14~16
C007J-U162	240 248 356 364	M5240 M5248 M5356 M5356	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	—	MT01A	TV*5 #14~16
C007J- W162 /UTP (UTR)	248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41	MT01A	TV*5 #14~16
C007J- U162 /UTQ (UTS)	240 248 356 364	M5240 M5248 M5356 M5356	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	—	MT01A	TV*5 #14~16

註：P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A
P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A









規格件表 CONVERSION CHART-4

4

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J-W222 /CQ	240	M5240	E4124P	D3216	H3362	P1814-A	MH41	MT01	UY128GAS #10
C007J-U222 /CQ	248 356 364	M5248 M5356 M5364	E4125P E4426P E4427P	D3216 D3216 D3217	H3362 H3362 H3363	P1815-A P2116-A P2117-A	—		
C007J-W222 /CQA/CLA	256	M5356	E2326Q	D2110	H2220Q	P2906Q-A	MH41	MT01A	TV*5 #14
C007J-W322 /CC	356 364	M5356 M5364	E2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	MH41	MT01	UY128GAS #10
C007J-U322 /CC	356 364	M5356 M5364	E2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	—	MT01	UY128GAS #10
C007J-W322 CC/UTP(UTR)	356 364	M5356 M5364	E2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	MH41	MT01	UY128GAS #10
C007J-U322 CC/UTQ(UTS)	356 364	M5356 M5364	E2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	—	MT01	UY128GAS #10









註(1) : P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A 代替 P2544-A/P2545-A
P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A 代替 P2446-A/P2447-A








註(2) : C007J-W/U322A-³⁵⁶/₃₆₄ /CC 時, 該針板與送金改用 C007J-W/U122-³⁵⁶/₃₆₄ 之針板與送金, 加附CHJ-A

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J-W322 /CE	356 364	M5356 M5364	E2626P E2627P	D2107	H3159	P2456-A P2457-A	MH41	MT01	UY128GAS #10
C007J-U322 /CE	356 364	M5356 M5364	E2626P E2627P	D2107	H3159	P2456-A P2457-A	—	MT01	UY128GAS #10
C007J-W322 CE/UTP(UTR)	356 364	M5356 M5364	E2626P E2627P	D2107	H3159	P2456-A P2457-A	MH41	MT01	UY128GAS #10
C007J- U322 CE/UTQ(UTS)	356 364	M5356 M5364	E2626P E2627P	D2107	H3159	P2456-A P2457-A	—	MT01	UY128GAS #10

註：P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A 代替P2544-A/P2545-A
P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A 代替P2446-A/P2447-A

規格件表 CONVERSION CHART-6







									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J- W512 /FE(FFC)	232 240 356 364	M5232 M5240 M5356 M5364	E 3523R E 3524R E 3826R E 3827R	D4205 D4206 D4206 D4207	H4457 H4458 H4458 H4459	P2913-A P2914-A P3216-A P3217-A	MH41	MT01	UY128GAS #10
C007J- U512 /FE(FFC)	240 356 364	M5240 M5356 M5364	E 3524R E 3826R E 3827R	D4206 D4206 D4207	H4458 H4458 H4459	P3414-A P3716-A P3717-A	—	MT01	UY128GAS #10
C007J- W522 /FE(FFC)/CR/CL	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R-A P3817R-A	MH41	MT01	UY128GAS #10
C007J- U522 /FE(FFC)/CR/CL	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R-A P3817R-A	—	MT01	UY128GAS #10
C007J- W532/ CR/UTP/CL/RLP/CX	232 356 364	M5232 M5356 M5364	E 6423R E6426R E6427R	D3219 D3222	H3265 H3268	P3813R-A P3816R-A P3817R-A	MH41	MT01	UY128GAS #10
C007J- U532/ CR/UTQ/CL/RLP/CX	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R-A P3817R-A	MH41	MT01	UY128GAS #10
C007J- W922/ CW	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SM1014B#10 (MY1014B#70,SY7256)
C007J- W922/ CW/UTP	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SM1014B#10 (MY1014B#70,SY7256)
C007J- W922/ CW/UTR	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SM1014B#10 (MY1014B#70,SY7256)

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J- W811 /CRL/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14
C007J- W811A /CRL/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14
C007J- U811 /CRL/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14
C007J- U811A /CRL/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14
C007J- W811 CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14
C007J- W811A CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14
C007J- U811 CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14
C007J- U811A CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14
C007J- W812 /CRL/RL	232 248 356 364	M5232 M5248 M5356 M5364	E0223R E0225R E0226R E0227R	D2101Q	H2203R	P2763-A P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10
C007J- W812A /CRL/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10
C007J- U812 /CRL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10
C007J- U812A /CRL/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10









註：C007J-W812A/W813A 機型之針板與差送具為5排齒。
C007J-W812/W813 機型之針板與差送具為4排齒。

規格件表 CONVERSION CHART-8

8

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J-W812 CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10
C007J-W812A CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E 0225Q E 0226Q E 0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10
C007J-U812 CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10
C007J-U812A CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E 0225Q E 0226Q E 0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10
C007J-W812 /CRL/UTR	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10
C007J-W812A /CRL/UTR	248 356 364	M5248 M5356 M5364	E 0225Q E 0226Q E 0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10
C007J-U812 /CRL/UTS	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	MH41	MT01	UY128GAS #10
C007J-U812A /CRL/UTS	248 356 364	M5248 M5356 M5364	E 0225Q E 0226Q E 0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	MH41	MT01	UY128GAS #10
C007J-W813 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0235R E 0236R E 0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10
C007J-W813A /CRL/RL	248 356 364	M5248 M5356 M5364	E 0235Q E 0236Q E 0237Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10
C007J-U813 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0235R E 0236R E 0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10
C007J-U813A /CRL/RL	248 356 364	M5248 M5356 M5364	E 0235Q E 0236Q E 0237Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10

註：C007J-W812A/W813A 機型之針板與差送具為5排齒。
C007J-W812/W813 機型之針板與差送具為4排齒。








									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J- W813 /CRL/UTR	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14
C007J- W813A /CRL/UTR	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14
C007J- U813 /CRL/UTS	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	MH41	MT01	TV*5 #14
C007J- U813A /CRL/UTS	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	MH41	MT01	TV*5 #14
C007J- W822 /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10
C007J- W823 /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14
C007J- U822 /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10
C007J- U823 /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14
C007J- W822 CRL/CY/UTP/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10
C007J- W823 CRL/CY/UTP/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14








註：C007J-W812A/W813A 機型之針板與差送具為5排齒。

C007J-W812/W813 機型之針板與差送具為4排齒。

規格件表 CONVERSION CHART-10










10

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J- U822 CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10
C007J- U823 CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14
C007J- U822 CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10
C007J- U823 CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14










										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	CAM	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	偏心凸輪	針 號
C007J- W522 /FE(FFC)/CRA/CL	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3116 P3117	MH41E	MT01	MF01-A	UY128GAS #11
C007J- U522 /FE(FFC)/CRA/CL	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3116 P3117	—	MT01	MF01-A	UY128GAS #11
C007J- W522 /FE(FFC)/CRB/CL	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3116 P3117	MH41E	MT01	MF01-A	UY128GAS #11
C007J- U522 /FE(FFC)/CRB/CL	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3116 P3117	—	MT01	MF01-A	UY128GAS #11
C007J- W532/ CRA/UTP/CL/RLP/CX-A	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3816Q P3817Q	MH41E	MT01	MF01-A	UY128GAS #11
C007J- U532/ CRA/UTQ/CL/RLP/CX-A	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3816Q P3817Q	—	MT01	MF01-A	UY128GAS #11
C007J- W532/ CRA/UTP/CL/RLP/CX-B	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3816Q P3817Q	MH41E	MT01	MF01-A	UY128GAS #11
C007J- U532/ CRA/UTQ/CL/RLP/CX-B	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3816Q P3817Q	MH41E	MT01	MF01-A	UY128GAS #11

規格件表 CONVERSION CHART-12

12

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W121 /CH	356 364	M5356 M5364	E 3816P E 3817P	D4206 D4207	H4458 H4459	P2446-A P2447-A	MH41	MT01	UY128GAS #10	T501HE
C007JD-U121 /CH	356 364	M5356 M5364	E 3816P E 3817P	D4206 D4207	H4458 H4459	P2446-A P2447-A	—	MT01	UY128GAS #10	
C007JD-W121 CH/UTP(UTR)	356 364	M5356 M5364	E 3816P E 3817P	D4206 D4207	H4458 H4459	P2446-A P2447-A	MH41	MT01	UY128GAS #10	
C007JD-U121 CH/UTQ(UTS)	356 364	M5356 M5364	E 3816P E 3817P	D4206 D4207	H4458 H4459	P2446-A P2447-A	—	MT01	UY128GAS #10	
C007JD-W122 /CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E3525P E 3826S E 3826P E 3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MH41	MT01	UY128GAS #10	
C007JD-U122 /CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E3525P E 3826S E 3826P E 3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	—	MT01	UY128GAS #10	
C007JD-W122 CH/UTP(UTR)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E3525P E 3826S E 3826P E 3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MH41	MT01	UY128GAS #10	









註：P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A 代替 P2544-A/P2545-A
P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A 代替 P2446-A/P2447-A

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-U122 CH/UTQ(UTS)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E3525P E 3826S E 3826P E 3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	—	MT01	UY128GAS #10	□ T501HE
C007JD-W122 /CHA	356	M5356	E 3826Q	D4206	H4458	P0216-A	MH41	MT01	UY128GAS #10	
C007JD-U122 /CHA	356	M5356	E 3826Q	D4206	H4458	P0416-A	—	MT01	UY128GAS #10	
C007JD-W123 /CH	240 248 356 364	M5240 M5248 M5356 M5364	E 3534P E3535P E 3836P E 3837P	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41	MT01	UY128GAS #10	
C007JD-U123 /CH	240 248 356 364	M5240 M5248 M5356 M5364	E 3534P E3535P E 3836P E 3837P	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	—	MT01	UY128GAS #10	
C007JD-W132 /CHE	240 248 356 364	M5240 M5248 M5356 M5364	E2324P E2325P E2326P E2327P	D2109 D2109 D2110 D2110	H2219 H2219 H2220 H2220	P2904-A P2905-A P2906-A P2907-A	MH41	MT01	UY128GAS #10	
C007JD-W132 CHE/UTP(UTR)	356 364	M5356 M5364	E2326P E2327P	D2110	H2220	P2906-A P2907-A	MH41	MT01	UY128GAS #10	

註：P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A









P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A

規格件表 CONVERSION CHART-14

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W152 /CZP/RLQ	356 364	M5356 M5364	E4326 E4327	D3216 D3217	H3262 H3263	P2416-A P2417-A	MH41	MT01	UY128GAS #10	□ T501HE
C007JD-U152 /CZP/RLQ	356 364	M5356 M5364	E4326 E4327	D3216 D3217	H3262 H3263	P2416-A P2417-A	—	MT01	UY128GAS #10	
C007JD-W152 CZP/CLA/RLQ	356 364	M5356 M5364	E4326 E4327	D3216 D3217	H3262 H3263	P2416-A P2417-A	MH41	MT01	UY128GAS #10	
C007JD-U152 CZP/CLA/RLQ	356 364	M5356 M5364	E4326 E4327	D3216 D3217	H3262 H3263	P2416-A P2417-A	—	MT01	UY128GAS #10	
C007JD-W162	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41	MT01A	TV*5 #14~16	
C007JD-U162	240 248 356 364	M5240 M5248 M5356 M5356	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	—	MT01A	TV*5 #14~16	
C007JD-W162 /UTP (UTR)	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41	MT01A	TV*5 #14~16	
C007JD-U162 /UTQ (UTS)	240 248 356 364	M5240 M5248 M5356 M5356	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	—	MT01A	TV*5 #14~16	

註：P2544-A/P2545-A 為固定式押具舌,亦可使用活動式押具舌 P2565-A 代替 P2544-A/P2545-A

P2446-A/P2447-A 為固定式押具舌,亦可使用活動式押具舌 P2466-A 代替 P2446-A/P2447-A

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W222 /CQ	240	M5240	E 4124P	D3216	H3362	P1814-A	MH41	MT01	UY128GAS #10	H T501HE
C007JD-U222 /CQ	248 356 364	M5248 M5356 M5364	E 4125P E 4426P E 4427P	D3216 D3216 D3217	H3362 H3362 H3363	P1815-A P2116-A P2117-A	—			
C007JD-W222 /CQA/CLA	256	M5356	E2326Q	D2110	H2220Q	P2906Q-A	MH41	MT01A	TV*5 #14	
C007JD-W322 /CC	356 364	M5356 M5364	E 2826P E 2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	MH41	MT01	UY128GAS #10	
C007JD-U322 /CC	356 364	M5356 M5364	E 2826P E 2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	—	MT01	UY128GAS #10	
C007JD-W322 CC/UTP(UTR)	356 364	M5356 M5364	E 2826P E 2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	MH41	MT01	UY128GAS #10	
C007JD-U322 CC/UTQ(UTS)	356 364	M5356 M5364	E 2826P E 2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	—	MT01	UY128GAS #10	









註(1)：P2544-A/P2545-A 為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A

P2446-A/P2447-A 為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A










註(2)：C007JD-W/U322A-³⁵⁶/₃₆₄ /CC 時，該針板與送金改用 C007JD-W/U122-³⁵⁶/₃₆₄ 之針板與送金，加附CHJ-A

規格件表 CONVERSION CHART-16

16

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W322 /CE	356 364	M5356 M5364	E 2626P E2627P	D2107	H3159	P2456-A P2457-A	MH41	MT01	UY128GAS #10	H T501HE
C007JD-U322 /CE	356 364	M5356 M5364	E 2626P E2627P	D2107	H3159	P2456-A P2457-A	—	MT01	UY128GAS #10	
C007JD-W322 CE/UTP(UTR)	356 364	M5356 M5364	E 2626P E2627P	D2107	H3159	P2456-A P2457-A	MH41	MT01	UY128GAS #10	
C007JD-U322 CE/UTQ(UTS)	356 364	M5356 M5364	E 2626P E2627P	D2107	H3159	P2456-A P2457-A	—	MT01	UY128GAS #10	







註：P2544-A/P2545-A 為固定式押具舌,亦可使用活動式押具舌 P2565-A 代替P2544-A/P2545-A
P2446-A/P2447-A 為固定式押具舌,亦可使用活動式押具舌 P2466-A 代替P2446-A/P2447-A-A

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W512 /FE	240 356 364	M5240 M5356 M5364	E 3524R E 3826R E3827R	D4206 D4206 D4207	H4458 H4458 H4459	P2914-A P3216-A P3217-A	MH41	MT01	UY128GAS #10	☐ T501HE
C007JD-U512 /FE	240 356 364	M5240 M5356 M5364	E 3524R E 3826R E3827R	D4206 D4206 D4207	H4458 H4458 H4459	P3414-A P3716-A P3717-A	—	MT01	UY128GAS #10	
C007JD-W522 /FE/CR/CL	356 364	M5356 M5364	E 6426R E6427R	D3222	H3268	P3816R-A P3817R-A	MH41	MT01	UY128GAS #10	
C007JD-U522 /FE/CR/CL	356 364	M5356 M5364	E 6426R E6427R	D3222	H3268	P3816R-A P3817R-A	—	MT01	UY128GAS #10	
C007JD-W532/ CR/UTP/CL/RLP/CX	356 364	M5356 M5364	E 6426R E6427R	D3222	H3268	P3816R-A P3817R-A	MH41	MT01	UY128GAS #10	
C007JD-U532/ CR/UTQ/CL/RLP/CX	356 364	M5356 M5364	E 6426R E6427R	D3222	H3268	P3816R-A P3817R-A	MH41	MT01	UY128GAS #10	
C007JD-W922/ CW	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SM1014B#10 (MY1014B#70,SY7256)	
C007JD-W922/ CW/UTP	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SM1014B#10 (MY1014B#70,SY7256)	
C007JD-W922/ CW/UTR	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SM1014B#10 (MY1014B#70,SY7256)	








註：C007JD不可加裝 FFC

規格件表 CONVERSION CHART-18

18










										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W811 /CRL/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14	T501HE
C007JD-W811A /CRL/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14	
C007JD-U811 /CRL/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14	
C007JD-U811A /CRL/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14	
C007JD-W811 CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14	
C007JD-W811A CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14	
C007JD-U811 CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14	
C007JD-U811A CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14	
C007JD-W812 /CRL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10	
C007JD-W812A /CRL/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10	
C007JD-U812 /CRL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10	
C007JD-U812A /CRL/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10	

註：C007JD-W812A/W813A 機型之針板與差送具為5排齒。
C007JD-W812/W813 機型之針板與差送具為4排齒。









										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W812 CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10	T501HE
C007JD-W812A CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10	
C007JD-U812 CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10	
C007JD-U812A CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10	
C007JD-W812 /CRL/UTR	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10	
C007JD-W812A /CRL/UTR	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10	
C007JD-U812 /CRL/UTS	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	MH41	MT01	UY128GAS #10	
C007JD-U812A /CRL/UTS	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	MH41	MT01	UY128GAS #10	
C007JD-W813 /CRL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10	
C007JD-W813A /CRL/RL	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10	
C007JD-U813 /CRL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10	
C007JD-U813A /CRL/RL	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10	

註：C007JD-W812A/W813A 機型之針板與差送具為5排齒。
C007JD-W812/W813 機型之針板與差送具為4排齒。










規格件表 CONVERSION CHART-20


										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-W813 /CRL/UTR	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14	T501HE
C007JD-W813A /CRL/UTR	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14	
C007JD-U813 /CRL/UTS	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	MH41	MT01	TV*5 #14	
C007JD-U813A /CRL/UTS	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	MH41	MT01	TV*5 #14	
C007JD-W822 /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10	
C007JD-W823 /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14	
C007JD-U822 /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10	
C007JD-U823 /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14	
C007JD-W822 CRL/CY/UTP/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UY128GAS #10	
C007JD-W823 CRL/CY/UTP/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TV*5 #14	

註：C007JD-W812A/W813A 機型之針板與差送具為5排齒，
C007JD-W812/W813 機型之針板與差送具為4排齒。

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號	馬 達
C007JD-U822 CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10	H T501HE
C007JD-U823 CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14	
C007JD-U822 CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UY128GAS #10	
C007JD-U823 CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TV*5 #14	


規格件表 CONVERSION CHART-20

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	CAM	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	偏心凸輪	針 號
C007JD-W522 /FE(FFC)/CRB/CL	356 364	M5356 M5364	E 6426P E6427P	D 3222	H 3268	P3116 P3117	MH41E	MT01	MF01-A	UY128GAS #11
C007JD-U522 /FE(FFC)/CRB/CL	356 364	M5356 M5364	E 6426P E6427P	D 3222	H 3268	P3116 P3117	—	MT01	MF01-A	UY128GAS #11
C007JD-W812 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P2765 P2766 P2767	MH41E	MT01	MF91-A	UY128GAS #11
C007JD-U812 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	MF91-A	UY128GAS #11
C007JD-W813 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0235R E 0236R E 0237R	D2101Q	H2203R	P2765 P2766 P2767	MH41E	MT01	MF91-A	UY128GAS #11
C007JD-U813 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0235R E 0236R E 0237R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	MF91-A	UY128GAS #11



FOR C007J/C007JD/S007K/S007KD
 *USE FOR C007JD/S007KD

PARTS LIST FOR MF GROUP




PARTS LIST FOR MG GROUP


PARTS LIST FOR MH GROUP

PARTS LIST FOR MJ GROUP


FOR C007J/C007JD/S007K/S007KD
* USE FOR C007JD/S007KD




FOR C007J/C007JD/S007K/S007KD
* USE FOR W162/U162 □USE FOR 其他機型




組裝方式
USE FOR C007JD/S007KD





PARTS LIST FOR MK GROUP





PARTS LIST FOR MN (1) GROUP

PARTS LIST FOR MN (2) GROUP


PARTS LIST FOR MQ GROUP

26




FOR C007J/C007JD □ FOR C007JD H牌馬達
 *USE FOR C007JD □ FOR C007JD P牌馬達

PARTS LIST FOR MT GROUP




FOR C007J/C007JD
*USE FOR C007JD

PARTS LIST FOR MU GROUP




28




PARTS LIST FOR MY GROUP

PARTS LIST FOR MZ GROUP


30



FOR C007J/C007JD
*USE FOR C007JD
△USE FOR C007J ONLY □USE FOR C007E/C007H ONLY



FOR C007J
*USE FOR C007JD



PARTS LIST FOR THREAD STAND GROUP



C007J/ C007JD

高林股份有限公司 KAULIN MFG. CO., LTD.



The specification and/or appearances of the equipment described in this parts list are subject to change because of modification without previous notice.

MY32J. AUG. 2007